

TOPPRO®

INDIA'S PREMIUM FITNESS EQUIPMENTS BRAND

TOPPRO



WWW.TOPPROFITNESS.COM  [TOPPROFITNESS](https://www.facebook.com/topprofitness)  [TOPPROFITNESS](https://www.instagram.com/topprofitness)

COMPANY PROFILE



TOPPRO is a Registered Trademark of **M/s. K.C. VERMA AND COMPANY (ISO 9001:2015)** which was established in 1972 by **LATE SH. K.C. VERMA & LATE SH. ARUN VERMA**, under their blessings and guidance, we have thrived to become INDIA'S PREMIUM FITNESS EQUIPMENT BRAND. With over 50 years of experience in customer satisfaction and product development our commitment to gym equipments and sports business is not simply selling products but taking responsibility and providing timely services to the clients with professional guidance for equipment selection at all times. All TOPPRO Products are **EN-957 & CE-3361** Certified for Safety.

We at TOPPRO always believe in **"Quality, Commitment & Service"** as our slogan and that has been our driving force to serve our customers with fitness equipments which have been exclusively designed in Germany and certified for quality by **LPI Taiwan**.

Our extensive range of well designed cardio, strength and outdoor equipments are made to serve all segments of society from beginners to gym trainees to hard core trainees to hard core trainers, our products have left a mark in every sphere of fitness training. With our organized and widely spread dealer network throughout the country, our dealers have always promoted **TOPPRO** equipments with confidence and service facility unmatched.

We undertake to continuously work for the up gradation of our industry and setting quality, commitment and service standards for others to follow. We have transformed our working style to evolve as a market leader with distinct identity. We appreciate your valuable suggestions and look forward to serving you with our products.



BRAND PROFILE








We at **TOPPRO** always believe in "**Quality, Commitment & Service**" as our slogan and that has been our driving force to serve our customers with Fitness Equipments which have been exclusively designed in **Germany** and certified for quality by **LPI TAIWAN**.

Our extensive range of well designed Cardio & Strength equipments are made to serve all segments of society from beginners to gym trainees to professional trainers, Our products have left a mark in every sphere of fitness training.

With our professional sales & marketing team we are always looking out to explore new markets & the sales team is backed with a strong professional service team to cater to your queries & after sales at all times. With our organized and widely spread Dealer network through out the country our dealers have always promoted **TOPPRO** equipments with confidence and service facility unmatched.

We undertake to continuously work for the up gradation of our Industry and set up **Quality, Commitment & Service** Standars for others to follow. We have transformed our working style to evolve as a market leader with distinct Identity. We appreciate your valuable suggestion & look forward to serving you with our products.



OUR CLIENTS



P.A.U. LUDHIANA



KAPURTHALA



NIT JALANDHAR



PAP JALANDHAR



POLICE LINES
FIROZPUR



POLICE LINES
HOSHIARPUR



POLICE LINES
AMRITSAR



BHADURGARH



INDIAN ARMY



INDIAN AIR FORCE



INDIAN NAVY



BSF



HOTEL A9
BARNALA



HOPE
FITNESS
MOHALI



NEO
FITNESS



PRO Fitness
LUDHIANA



Body Plan
KAPURTHALA



MUSCLE GARAGE
LUDHIANA



PRO FITNESS
UNISEX GYM
SHAHKOT



SARA DEEP SINGH GYM
MUKTSAR SAHIB



STRONG GYM
NAKODAR



JIO GYM
SRINAGAR



ROYAL FITNESS CLUB
MALSIAN



PRO FITNESS
GYM
MORINDA



Muscle Trend
SRINAGAR



Godrej



BARNALA
BUILDERS



Fitness Nation
SULTANPUR LODHI



NEW CITY FITNESS PLANET
HOSHIARPUR



IRON ADDICTS
DHARAMAKOT



STAR GYM
FIROZPUR



Faridabad
GYMKHANA



Fitness Freak
JAMMU



Oasis
Health Club
JAMMU



L.A. Krishna Gym
JAMMU



RAHEJA EARTH
RAIPUR



SALASAR GREEN
RAIPUR



LORDS FITNESS
RAIPUR



REMOLD FITNESS
RAIPUR



Fitness Tycoon
RAIPUR



Spartan Health Club
RAIPUR



Canara Bank



S22
FITNESS
JAMMU



INTERNATIONAL GYM
JAMMU



GSP FITNESS
RAIPUR



EASTERN
RAILWAY



RESERVE BANK OF INDIA



INDIAN RAILWAYS



TATA



ONGC



S22
FITNESS



Indian Oil



WORK OUT STUDIO
RAIPUR



Elan Health Club
SRINAGAR



Union Bank
of India



COUNTRY
INN & SUITES
ZIRAKPUR



HOPE FITNESS



paisabazaar.com



V16 Gym
JAMMU



P & P FITNESS
JAMMU



RAJPUT
FITNESS
RAIPUR



RAJPUT
FITNESS
DHANTARI



Jullundur
GYMKHANA



AKS FITNESS STUDIO
JAMMU



HEALTH & WATCH

CONTENTS

CARDIO EQUIPMENTS

SEMI COMMERCIAL & COMMERCIAL

TREADMILL

ELLIPTICAL BIKES

UPRIGHT BIKES

RECUMBENT BIKES

SPIN BIKES

ASSAULT BIKES

ROWING MACHINE

AB ROASTER

STAIR CLIMBER

SKI TRAINER

GYM FANS

TOPPRO®



TREADMILLS

*SEMI COMMERCIAL
&
COMMERCIAL*



WWW.TOPPROFITNESS.COM [f](#) TOPPROFITNESS [@](#) TOPPROFITNESS



TOPPRO®

TP - 1005

MOTORISED TREADMILL DOMESTIC



Motor Rating	:	AC Motor 2.0 HP Continuous / 4.0 HP Peak
Speed Range	:	1 To 16 KMPH
Incline	:	Manual
Programs	:	8 Programs (P1 - P8), Manual
Belt Size	:	18" (W) x 51" (L)
Display	:	LCD with Single window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	67" (L) X 30" (W) X 53" (H)
Net Weight	:	63 Kgs.
Max. User Weight	:	120kgs.
U.S.P.	:	In Built Speaker for MP3 Player

- Magnetic Safety Key -6 Spring Cushion
- Ergonomic Design
- Self Lubricant Deck
- Quick Speed Buttons
- Soft Stop
- Ortho Belt

WWW.TOPPROFITNESS.COM



TOPPRO®

TP - 1010

MOTORISED TREADMILL DOMESTIC

SPECIFICATIONS

Motor Rating	:	AC Motor 2.5 HP Continuous / 4.0HP Peak
Speed Range	:	1 To 16 KMPH
Incline	:	0% to 15% Automatic
Programme	:	8 Programs (P1-P8), Manual
Belt Size	:	18" (W) x 51" (L)
Display	:	LCD with Single window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	67" (L) x 30" (W) x 53" (H)
Net Weight	:	63 Kgs.
Max. User Weight	:	110 Kgs.
U.S.P.	:	

- In built Speaker for MP3 Player
- Magnetic Safety Key
- 6 Spring Cushion
- Ergonomic Design
- Self Lubricant Deck
- Soft Stop
- Ortho Belt



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1012

MOTORISED TREADMILL DOMESTIC

SPECIFICATIONS

Motor Rating	:	AC Motor 2.5 HP Continuous / 5.0HP Peak
Speed Range	:	1 To 18 KMPH
Incline	:	0% to 15% Automatic
Programs	:	9 Programs, (01-09) 8 Presets, 1 Fat and 1 Manual
Belt Size	:	19" (W) x 56" (L)
Display	:	5" LCD with Single window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	70" (L) x 32" (W) x 51" (H)
Net Weight	:	72Kgs
Max. User Weight	:	130 Kgs
U.S.P.	:	<ul style="list-style-type: none">• In built Speaker for Mp3 / USB / SD Card• Magnetic Safety Key 6 Spring Cushion



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1013

MOTORISED TREADMILL DOMESTIC

SPECIFICATIONS

Motor Rating	:	AC Motor 2.5 HP Continuous / 5.0 HP Peak
Speed Range	:	1 To 18 KMPH
Incline	:	0% to 15% Automatic
Programs	:	Programs, Body Fat. 64 Programs, 1 Manual
Belt Size	:	19" (W) x 55" (L)
Display	:	LCD Blue Back Light, Single Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	73" (L) x 30" (W) x 53" (H)
Net Weight	:	71 Kgs.
Max. User Weight	:	130 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• In built Speaker for MP3 Player, 6 Regular Rubber Cushion• Magnetic Safety Key• 6 Cushion Shock Absorbers• Shock Proof Deck System• Soft Stop• Ortho Belt• Self Lubricant Deck



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1014

MOTORISED TREADMILL DOMESTIC

SPECIFICATIONS

Motor Rating	:	AC Motor 2.5 HP Continuous / 5.0 HP Peak
Speed Range	:	1 To 16 KMPH (4 Quick Speed)
Incline	:	Manual
Programs	:	8 Presets Program
Belt Size	:	18" (W) X 62.5" (L)
Display	:	72"LCD Blue Back Light, Single Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	72" (L) X 33" (W) X 63" (H)
Net Weight	:	67 Kgs.
Max User Weight	:	120 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• In built Speaker for MP3 Player, 6 Regular Rubber Cushion• Magnetic Safety Key• 6 Cushion Shock Absorbers• Shock Proof Deck System• Soft Stop• Ortho Belt• Self Lubricant Deck



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1017

MOTORISED TREADMILL SEMI COMMERCIAL

**TFT
SCREEN**

SPECIFICATIONS

Motor Rating	:	AC Motor 3.0 HP Continuous / 7.0 HP Peak
Speed Range	:	1 To 16 KMPH (4 Quick Speed)
Incline	:	0% to 15% Automatic
Program	:	P1-P14 Body Fat 2 Modes
Belt Size	:	18" (W) X 57" (L)
Display	:	TFT Screen with Touch Screen
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Programme
Set Up Area	:	72" (L) X 33" (W) X 63" (H)
Net Weight	:	72 Kgs.
Max User Weight	:	125 Kgs.
U.S.P.	:	

- High Fidelity Speakers
- Ergonomic Design
- Speakers & Mp3 Input With Mp3 Socket
- Hand Pulse Sensor
- Air Cylinder For Soft Landing
- Dual Cushion Deck



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1020

MOTORISED TREADMILL SEMI COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor 3 HP Continuous / 5.0 HP Peak
Speed Range	:	1 To 16 KMPH (5 Quick Speed)
Incline	:	0% to 15% Automatic
Programs	:	14 Programs (P1-P14) Body, Fat-2 Modes
Belt Size	:	18" (W) x 56" (L)
Display	:	LCD Blue Back Light, Single Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	69" (L) x 30" (W) x 58" (H)
Net Weight	:	78 Kgs.
Max. User Weight	:	120 Kgs.
USP	:	

- High Fidelity Speakers
- Cooling Fan
- Dual Cushion Deck
- Ergonomic Design
- Air Cylinder For Soft Landing



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1040

MOTORISED TREADMILL SEMI COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor 3.0 HP Continuous / 6.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 15%
Programs	:	16 Programs (P1-P16) (3-Users)
Belt Size	:	20" (W) x 60" (L), Ortho Belt
Display	:	7" LCD Window
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	75" (L) X 35" (W) X 60" (H)
Net Weight	:	100 Kgs.
Max. User Weight	:	140 Kgs.
U.S.P.	:	

- High Fidelity Stereo,
- Air Cushion Shock Absorbers
- Shock Proof Deck System
- Soft Stop
- Ortho Belt





TOPPRO®

TP - 1045

MOTORISED TREADMILL SEMI COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor 3.5 HP Continuous / 7.0 HP Peak
	:	Digital Concepts P.W.M. Control
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 15%, Automatic
Programs	:	8 Preset Programs, User-3, Hrc-3 & 1 Manual
Belt Size	:	59" (L) X 20" (W)
Display	:	LCD With Single Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	76" (L) X 35" (W) X 58" (H)
Net Weight	:	92 Kgs.
Max. User Weight	:	130 Kgs.
U.S.P.		<ul style="list-style-type: none">• High Fidelity Speakers With Extra Blue tooth Device• Extra Cushion Deck• Ergonomic Design• Safety Key• MP3 / USB / SD Card Compatible



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1046

MOTORISED TREADMILL SEMI COMMERCIAL

**TFT
SCREEN**

SPECIFICATIONS

Motor Rating	:	Ac Motor 3.5 HP Continuous / 7.0 HP Peak
	:	Digital Concepts P.W.M. Control
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 15%, Automatic
Programs	:	8 Preset Programs, User-3, Hrc-3 & 1 Manual
Belt Size	:	59" (L) X 20" (W)
Display	:	10 " TFT SCREEN With Touch Screen
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	76" (L) X 35" (W) X 58" (H)
Net Weight	:	92 Kgs.
Max. User Weight	:	130 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• High Fidelity Speakers With Extra Blue tooth Device• Extra Cushion Deck• Ergonomic Design• Safety Key• MP3 / USB / SD Card Compatible



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1080

MOTORISED TREADMILL SEMI COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor 3.5 HP Continuous / 7.0 HP Peak
Speed Range	:	1 To 22 KMPH
Incline	:	0% to 15%, Automatic
Program	:	Preset P1 - P64, (3-Users) Body Fat
Belt Size	:	20.8" (W) X 59" (L)
Display	:	LED Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	79" (L) X 36" (W) X 65" (H)
Net Weight	:	115 Kgs.
Max User Weight	:	150 Kgs.
U.S.P.	:	

- High Fidelity Speakers Extra Cushion Deck
- Ergonomic Design
- Safety Key
- MP3 / USB / SD Card Compatible



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1090

MOTORISED TREADMILL SEMI COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor 3.0 HP Continuous / 6.0 HP Peak
Speed Range	:	1-20 KMPH
Incline	:	0%-15%
Programs	:	18 Preset P1-P18, 3 Users, Body Fat, 4 Exercise Modes
Belt Size	:	21" x 63"
Display	:	7 Large Window LED Profiled
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	85" (L) x 38" (W) x 65" (H)
Net Weight	:	114 Kgs.
Max. User Weight	:	160 Kgs.
USP	:	High Fidelity Speakers, <ul style="list-style-type: none">• Extra Cushion Deck• Ergonomic Design, Body Fat, Safety Key• MP3 / USB / SD Card Compatible• Foldable Machine, Easy Storage• Headset Jack



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1095

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 3.5 HP Continuous / 6.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 15%, Automatic
Programs	:	12 Programs, 1 Manual
Belt Size	:	63" (L) X 23" (W)
Display	:	LCD Blue back light, Single window display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	83" (L) x 32" (W) x 57" (H)
Net Weight	:	120 Kgs.
Max. User Weight	:	160 Kgs.
U.S.P.	:	In-built speaker for Mp3, In-build Mp3 Player, USB

- Magnetic Safety Key
- 6 Spring Cushion Plus 4 Air Cushion
- Soft Stop
- Rubber Cushion
- Cooling fan



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1097

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 4.0 HP Continuous / 8.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 15%, Automatic
Programs	:	12 Programs, 1 Manual
Belt Size	:	63" (L) X 23" (W)
Display	:	LCD Blue back light, Single window display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	83" (L) x 32" (W) x 57"(H)
Max. User Weight	:	165 Kgs.
Net Weight	:	120 Kgs.
U.S.P.	:	In-built speaker for MP3, In-build MP3 Player, USB
		• SD Card, Bluetooth
		• Safety Key Stop
		• Magnetic Safety Key
		• 6 Spring Cushion Plus 4 Air Cushion
		• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1098

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.0 HP Continuous / 10.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0%-22%
Programs	:	18 Preset P1 - P18, 3 Users, Body Fat, 4 Exercise Modes 150 Kg
Belt Size	:	23" (W) X 62" (H)
Display	:	7" LCD Window Display
Consol Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	82" (L) X 36" (W) X 56" (H)
Net Weight	:	130 Kgs.
Gross Weight	:	170 Kgs.
Max. User Weight	:	150 Kgs.
U.S.P.	:	

- High Fidelity Speakers
- Extra Cushion Deck
- Ergonomic Design
- Safety Key
- MP3 / USB Compatible
- Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1150

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor	:	AC Motor Commercial Grade 4.5 HP Continuous / 9.0 HP Peak
Speed Range	:	1 To 22 KMPH
Incline	:	0%-15%
Programs	:	Preset P1-P64, 3 Users, Body Fat
Belt Size	:	23.5" (W) x 62"(L)
Display	:	6 Window LED Profiled
Console FeedBack	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	79" (L) x 36" (W) x 63" (H)
Net Weight	:	150 Kgs.
Max. User Weight	:	200 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• High Fidelity Speakers• Extra Cushion Deck• Ergonomic Design• Safety Key• MP3 / USB / SD Card Compatible• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1160

MOTORISED TREADMILL COMMERCIAL

**TFT
SCREEN**

SPECIFICATIONS

Motor	:	AC Motor Commercial Grade 4.5 HP Continuous / 9.0 HP Peak
Speed Range	:	1 To 22 KMPH
Incline	:	0%-15%
Programs	:	Preset P1-P64, 3 Users, Body Fat
Belt Size	:	23.5" (W) x 62"(L)
Display	:	15 " TFT Touch Screen
Console FeedBack	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	79" (L) x 36" (W) x 63" (H)
Net Weight	:	150 Kgs.
Max. User Weight	:	170 Kgs.
U.S.P.	:	

- High Fidelity Speakers with Bluetooth Connectivity
- Extra Cushion Deck
- Ergonomic Design
- Safety Key
- MP3 / USB / SD Card Compatible



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1175

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 3.0 HP Continuous / 7.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% - 15%
Programs	:	Pre-setting, Manual setting
Belt Size	:	21" (W) X 60" (H)
Display	:	5 Window LED
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	85" (L) 35" (W) 57" (H)
Net Weight	:	240 kgs.
Max. User Weight	:	150 kgs.
U.S.P.		<ul style="list-style-type: none">• Extra Cushion Deck• Ergonomic Design• Safety Key• Soft Stop



WWW.TOPPROFITNESS.COM






TOPPRO®

TP - 1176

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	: AC Motor Commercial Grade 3.0 HP Continuous / 7.0 HP Peak
Speed Range	: 1 To 20 KMPH
Incline	: 0% - 15%
Programs	: Pre-setting, Manual setting
Belt Size	: 21" (W) X 60" (H)
Display	: 5 Window LED + 23.8" LED
Console Feedback	: 23.8" Mirroring LED Rotator, Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	: 85" (L) 35" (W) 57" (H)
Net Weight	: 240 kgs.
Max. User Weight	: 150 kgs.
U.S.P.	<ul style="list-style-type: none">• High Fidelity Speakers• Extra Cushion Deck• Ergonomic Design• Safety Key• Bluetooth Connectivity• Phone Mirroring Technology• Soft Stop





TOPPRO®

TP - 1200

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 4.0 HP Continuous / 8.0 HP Peak
Speed Range	:	1 To 22 KMPH
Incline	:	0%-15%
Program	:	18 Preset P1-P18, 3 Users, Body Fat, 4 Exercise Modes
Belt Size	:	22"(W) x 64.5"(L)
Display	:	7 Large Window LED Profiled
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	85" (L) x 38" (W) x 67" (H)
Net Weight	:	157 Kgs.
Max. User Weight	:	170 Kgs.
U.S.P.	:	

- High Fidelity Speakers
- Cooling Fan
- Extra Cushion Deck
- Ergonomic Design
- Safety Key
- MP3 / USB / SD Card Compatible
- Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1225

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 3.0 HP Continuous / 6.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 15% Automatic
Programs	:	16 Presets P 1 to P 16, 3 Users, Body Fat Tester
Belt Size	:	20" (W) X 60" (L)
Display	:	10" LED Window
Console FeedBack	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	82" (L) X 34" (W) X 60" (H)
Net Weight	:	135 Kgs.
Max. User Weight	:	180 Kgs.
U.S.P.	:	

- High Fidelity Mp3 Speakers
- Cooling Fan
- Extra Cushion Deck
- Ergonomic Design
- Non Fordable Machine
- Floor Levelers
- Heavy Frame Gauge
- with Powder Coated
- Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1275

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 4.0 HP Continuous
	:	7.0 HP Peak Duty
Speed Range	:	1 To 20 KMPH
Incline	:	0% to 20%
Programs	:	8 Preset Programs, 1 Body Fat & 1 Manual
Belt Size	:	62" (L) x 23" (W)
Display	:	1 Dot Matrix Window With Scrolling Text & 7 Windows
Console FeedBack	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	88" (L) x 37" (W) x 72" (H)
Net Weight	:	225 Kgs.
Max. User Weight	:	170 Kgs.
U.S.P.	:	Heavy Frame Gauge with Powder Coated
		<ul style="list-style-type: none">• Extra Cushion Deck• Ergonomic Design• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1290

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 3.0 HP TURBO
	:	Continuous / 7.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% - 20%
Program	:	8 Preset Programs.
Belt Size	:	21" (L) x 60" (W)
Display	:	18.5" Multi Window Display, LED Screen, Stable and Reliable
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	89" (L) x 37" (W) x 62" (H)
Net Weight	:	212 Kgs.
Max User Weight	:	• 200 Kgs.
U.S.P.	:	• Heavy Frame Gauge with Powder Coated
	:	• Extra Cushion Deck
	:	• Ergonomic Design
	:	• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1350

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 4.5 HP Continuous / 9.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	-3 % Decline To 18% Automatic Incline
Programs	:	9 Preset Programs
Belt Size	:	65.5" (L) x 22" (W)
Display	:	LED With Scrolling Text Windows, Show Time, Distance, Pulse,
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	84" (L) x 36" (W) x 72" (H)
Net Weight	:	200 Kgs.
Max User Weight	:	180 Kgs.
U.S.P.	:	Heavy Frame Gauge with Powder Coated
	:	Cooling Fan
	:	• Extra Cushion Deck
	:	• Ergonomic Design
	:	• MP3 Speakers / USB
	:	• Floor Levellers
	:	• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1375

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor	:	AC Motor Commercial Grade 4.5 HP Continuous / 8.0 HP Peak
Speed Range	:	1 To 22 KMPH
Incline	:	0% to 15%
Belt Size	:	66" (L) x 23" (W)
Programs	:	18 Preset Programs, 3 User Setting Programs, H1-H2-H3, 1 Body Fat & 1 manual
Display	:	1 Dot Matrix Window With Scrolling Text & 6 Windows
Console FeedBack	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	90" (L) x 41" (W) x 66" (H)
Net Weight	:	233 Kgs.
Max. User Weight	:	175 Kgs.
U.S.P.	:	

- Heavy Frame Gauge with Powder Coated
- High Fidelity Speakers
- Extra Cushion Deck
- Ergonomic Design
- MP3 Speakers
- Floor Levellers
- USB
- Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1400

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.5 HP Continuous / 10.0 HP Peak
Speed Range	:	1 To 24 KMPH
Incline	:	0% to 24% Automatic
Belt Size	:	74" (L) x 24" (W)
Programs	:	16 Pre-set Programs, Body Fat, 3 User Programs & 3 HRC
Display	:	Profile Matrix LED with 8 Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	89" (L) x 35" (W) x 59" (H)
Net Weight	:	170 Kgs.
Max User Weight	:	180 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• High Fidelity Speakers• Extra Cushion Deck, Ergonomic Design• MP3 Compatible, Safety Key• Deck 25 mm pre-waxed phenolic• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1410

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.0 HP Continuous / 10.0 HP Peak
Speed Range	:	1 To 24 KMPH
Incline	:	0% - 20%
Program	:	24 Programs (P1 - 924) user, Program Manual, Body Fat
Belt Size	:	60" (L) x 23.5" (W)
Display	:	4 Window LED Profiled
Display Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	82" (L) X 34" (W) X 58 (H)
Net Weight	:	112 Kgs.
Max. User Weight	:	180 kgs.
U.S.P.	:	<ul style="list-style-type: none">• High Fidelity Speakers, Extra Cushion Deck• Ergonomic Design• Safety Key MP3 / USB / SD Card Compatible• Bluetooth Connection



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1415

MOTORISED TREADMILL COMMERCIAL

**TFT
SCREEN**

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.0 HP Continuous / 10.0 HP Peak
Speed Range	:	1 To 24 KMPH
Incline	:	0% - 20%
Program	:	24 Programs (P1 - 924) user, Program Manual, Body Fat
Belt Size	:	60" (L) x 23.5" (W)
Display	:	15" TFT Screen Touch Screen
Display Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	82" (L) X 34" (W) X 58 (H)
Net Weight	:	112 Kgs.
Max. User Weight	:	180 kgs.
U.S.P.	:	High Fidelity Speakers, Extra Cushion Deck

- Ergonomic Design
- Safety Key
- Bluetooth Connection
- TFT Screen For User
- WI-FI Connectivity



WWW.TOPPROFITNESS.COM






TOPPRO®

TP - 1450

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.5 HP Continuous / 10.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0-15%.
Programs	:	5 Preset Programs. One-Key Selection.
Belt Size	:	22.5" (W) x 63" (L)
Display	:	Mechanical Button, LED Screen, Stable and Reliable
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	87" (L) x 37" (W) x 67" (H)
Net Weight	:	210 Kgs.
Max. User Weight	:	200 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• Speakers for MP3, USB Port• Extra Cushion in Group Ergonomic• Design Hardcore Commercial Machine• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1475

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.0 HP Continuous / 10.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	Automatic 0% To 22%
Programs	:	24 Programmes, Body, Fat - 2 Modes
Belt Size	:	23" (W) x 63" (L)
Display	:	LED Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	87" (L) x 40" (W) x 58" (H)
Net Weight	:	248 Kgs.
Max. User Weight	:	190 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• Heavy Frame Gauge with Powder Coated• Extra Cushion Deck• Ergonomic Design• Floor Levellers



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 1525

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 4.5 HP Continuous / 9.0 HP Peak
Speed Range	:	1 To 20 KMPH
Incline	:	0% To 20%
Programs	:	8 Pre-Set Programmes, 2 Users & 1 manual
Belt Size	:	60" (L) X 24" (W)
Display	:	Profile Matrix LED With 6 Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	80" (L) X 37" (W) 63" (H)
Net Weight	:	180 Kgs.
Max. User Weight	:	180 Kgs.
U.S.P.	:	<ul style="list-style-type: none">• Heavy Frame Gauge with Powder Coated• Extra Cushion Deck• Ergonomic Design• Floor Levellers



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 2017i

MOTORISED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade Continuous / 4.0 HP Heavy Duty
Speed Range	:	1 To 20 KMPH
Incline	:	0% To 22 %
Programs	:	5 Speed & 5 Incline P1-P10
Belt Size	:	62" (L) x 20" (W)
Display	:	5 Window Display
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	78" (L) x 31" (W) x 56" (H)
Net Weight	:	170 Kgs.
Max. User Weight	:	170 Kgs.
U.S.P.	:	Pulse Controls Speed Hardcore Commercial Machine
		<ul style="list-style-type: none">• Ergonomic Design for Longer Use Blue tooth,• USB Support and Cooling Fan• Soft Stop





TOPPRO®

TP - 880

CURVED TREADMILL COMMERCIAL

SPECIFICATIONS

Motor Rating	:	AC Motor Commercial Grade 5.0 HP Continuous / 8.0 OHP Peak
	:	Heavy Duty
Speed Range	:	1 To 25 KMPH
Incline	:	Automatic 0% To 15%
Programs	:	18 Programs, 18 Preset, 3 Users, 1 Fat
Belt Size	:	23"(W) x 66" (L)
Display	:	7" Window LED
Console Feedback	:	Speed, Time, Distance, Calories, Pulse, Program
Set Up Area	:	92"(L) x 44" (W) x 64"(H)
Net Weight	:	240 Kgs.
Max. User Weight U.S.P.	:	<ul style="list-style-type: none">• 200 Kgs.• Self Lubricating Mechanism, Silicon Strip Pad• Suspension / Anti Shock, Ortho Belt High Density• MP3, SD Card and USB Support• Speakers, Ergonomic Design• Hard Core Commercial Machine• Roller 94mm Pre Waxed• Deck 26mm Pre Waxed• Soft Stop



WWW.TOPPROFITNESS.COM





TOPPRO®

TP - 4500

CURVED TREADMILL COMMERCIAL

SPECIFICATIONS

Dimensions	: 77" (L) x 38" (W) x 56"(H) Running Surface
Dimensions	: 56" (L) x 19" (W)
Running Belt Type	: 60 Individual Slats high quality rubber slats
Running Surface	: 3/8" thick shock absorbing cushion
Drive System	: 112 Precision Ball Bearings with 12 Roller Guides
Drive Motor	: Self-Propelled.
Display Feedback	: LED Screen Counting of Time, Distance, Calories, Pulse & Speed
Mode/Set Option	: Time, distance and calorie can be manually set as per user : requirement
Power Supply	: Not Required
User Weight Capacity	: 180 Kgs
Noise Degree	: 80 dB (A)
Protection Level	: IP 20



TP - 4500





TOPPRO®

TP - 5500

CURVED TREADMILL COMMERCIAL

SPECIFICATIONS


Dimensions	: 77" (L) x 38" (W) x 56"(H) Running Surface
Dimensions	: 56" (L) x 19" (W)
Running Belt Type	: 60 Individual Slats high quality rubber slats
Running Surface	: 3/8" thick shock absorbing cushion
Drive System	: 112 Precision Ball Bearings with 12 Roller Guides
Drive Motor	: Self-Propelled.
Display Feedback	: LED Screen Counting of Time, Distance, Calories, Pulse & Speed
Mode/Set Option	: Time, distance and calorie can be manually set as per user : requirement
Power Supply	: Not Required
User Weight Capacity	: 180 Kgs
Noise Degree	: 80 dB (A)
Protection Level	: IP 20



WWW.TOPPROFITNESS.COM



TOPPRO®



ELLIPTICAL BIKES



WWW.TOPPROFITNESS.COM

f TOPPROFITNESS

@ TOPPROFITNESS



SEMI COMMERCIAL ELLIPTICAL BIKE

TP-870 EL

SPECIFICATIONS

Dimension	: 58" (L) x 26" (W) x 67" (H)
Strides	: 18" natural stride
Resistance	: 08 Levels
Power	: 02 AA Size batteries
Resistance System	: Manual magnetic resistance
Drive System	: Centre design drive, super silent poly-v belt driven
Fly Wheel	: 9 Kgs precision balanced
Pedals	: Self balancing, close spacing, enlarge and impact absorbing, fit to any size user
Centre of Gravity	: Low COG Combined with a balanced frame prevents rocking
Cardio Monitor	: In-built pulse sensor with front handle grips enables to the cardio monitoring on board
Display	: LCD Computerized Console
Display Feedback	: Multi feedback read out instantly Displays Time, Distance, RPM, Calories and Pulse
Mode/Set Option	: Time, distance and calories can be set as per user requirements
Transportation	: Transportation wheel for easy movement
Frame Structure	: Arched support frame for maximum durability and stability
Frame Finishing	: Proprietary two coat powder process
Crank	: 3 Piece Assembly
Net Weight	: 152 Kgs
User Weight	: 20 Kgs



TOPPRO®

SEMI COMMERCIAL ELLIPTICAL BIKE

TP-875 EL

SPECIFICATIONS

Dimensions	: 67"(L) x 26"(W) x 63"(H)
Stride	: 18" natural stride
Resistance	: 15 Level
Resistance System	: EMS System Electronic Control
Power	: 1.5 Volt x 2.AAA size battery
Fly Wheel	: 9 kgs Precision Balanced
Pedals	: Self balancing, close spacing, enlarge and impact absorbing, fit to any size user
Centre of Gravity	: Low COG Combined with a balanced frame prevents rocking
Cardio Monitor	: In-built pulse sensor with front handle grips enables to the cardio monitoring on board
Display	: LCD Computerized Console
Display Feedback	: Multi feedback read out instantly Displays Time, Distance, RPM, Calories and Pulse
Mode/Set Option	: Time, distance and calories can be set as per user requirements
Transportation	: Transportation wheel for easy movement
Frame Structure	: Arched support frame for maximum durability and stability
Frame Finishing	: Proprietary two coat powder process
Crank	: 3 Piece Assembly
Net Weight	: 54 Kgs
User Weight	: 135 Kgs



TOPPRO®

LIGHT COMMERCIAL ELLIPTICAL BIKE

TP-9350 EL

SPECIFICATIONS

Dimension	: 60" (L) x 25"(W) x 70"(H)
Strides	: 21" natural stride
Resistance Level	: 15 Levels
Resistance System	: EMS System Electronic Controlled
Power	: 1.5 Volt X 2. AAA Size Battery
Fly Wheel	: 9 Kgs Precision Balanced
Drive System	: Center Design Drive, Super Silent Poly-V Belt Driven
Display	: LCD Display
Frame	: Heavy gauge steel construction with Premium textured powder coating
Display Feedback	: Speed, Time, Distance, Heart rate, Calories & ODO Meter
Crank	: 3 Piece Assembly
Net Weight	: 86 Kgs
User Weight	: 135 Kgs





COMMERCIAL ELLIPTICAL BIKE

TP-6000 EL

SPECIFICATIONS

Dimension	: 84" (L) x 30"(W) x 70"(H)
Strides	: 20" natural stride
Resistance Level	: 32 Levels
Resistance System	: EMS Electronic Control
Power	: 6 Volt DC adapter
Programs	: 3 Preset Programs (P1 to P3), 1 manual , 1 HRC, 3 User : programs & time, distance & calories can be set as per user requirement
Fly Wheel	: 11 Kgs precision balanced
Display	: LED display with computerized console
Step-up Height	: 10 Inches easy step-up height
Strides Wheel	: Single wheel track, fiber glass reinforced nylon wheel with high quality bearing
Net Weight	: 105 Kgs
User Weight	: 180 Kgs





COMMERCIAL ELLIPTICAL BIKE

TP-6100 EL

SPECIFICATIONS

Dimension	: 82" (L) x 25" (W) x 70" (H)
Strides	: 20" natural stride
Resistance Level	: 32 Levels
Resistance System	: Self Generator
Power	: 6 Volt DC adapter
Programs	: 3 Preset Programs (P1 to P3), 1 manual , 1 HRC, 3 User : programs & time, distance & calories can be set as per user requirement
Fly Wheel	: 11 Kgs precision balanced
Display	: LED display with computerized console
Display Feedback	: Multi feedback read out instantly Displays Time, Distance, RPM, Calories and Pulse
Step-up Height	: 10 Inches easy step-up height
Strides Wheel	: Single wheel track, fiber glass reinforced nylon wheel with high quality bearing
Net Weight	: 110 Kgs
User Weight	: 180 Kgs



TOPPRO®

COMMERCIAL ELLIPTICAL BIKE

TP-6200 EL (TP-156)

SPECIFICATIONS

Dimension	:	69" (L) X 25" (W) X 55" (H)
Stride	:	22" natural stride
Resistance	:	24 Levels
Program	:	12 Pre-set, 1 Manual. Personal, Watt, Bodyfat, HRC & BMI
Power	:	12 Volts DC adapter
Fly Wheel	:	5 Kgs precision balanced
Speaker	:	In-built speakers
Net Weight	:	78 kgs
User Weight	:	150 kgs



TOPPRO®

COMMERCIAL ELLIPTICAL BIKE

TP-6300 EL (TP-154)

SPECIFICATIONS

Dimension	:	72" (L) X 30" (W) X 68" (H)
Stride	:	22" natural stride
Resistance	:	24 Levels Of Magnetic Resistance
Fly Wheel	:	10 Kgs precision balanced
Program	:	12 Pre-set, 1 Manual. Personal, Watt, Bodyfat, HRC & BMI
Power	:	12 Volts DC adapter
Speaker	:	In-built speakers
Net Weight	:	83 kgs
User Weight	:	150 kgs



TOPPRO®

TP-6900 EL



COMMERCIAL ELLIPTICAL BIKE

TP-6900 EL

SPECIFICATIONS

Dimension	:	80" (L) X 28" (W) X 70" (H)
Stride	:	20" natural stride
Maximum Watt	:	250 Watts
Resistance Level	:	16 Levels
Resistance System	:	Electromagnetic resistance
Power	:	Self generated power system
Programs	:	06 Programs – manual, HRC, random, weight loss, CV and hill intervals
Display	:	Dot matrix LED, computerized console
Transportation	:	Transportation wheels for easy movements
Strides Wheel	:	Dual wheel track, fiber glass reinforced nylon wheel with high quality bearing
Maximum User Weight	:	180 Kgs



TOPPRO®

COMMERCIAL ELLIPTICAL BIKE

TP-7000 EL

SPECIFICATIONS

Dimension	:	84" (L) x 30" (W) x 71" (H)
Strides	:	20 Inches Natural Strides
Maximum Watt	:	250 Watts
Resistance Level	:	16 Levels 240 Watts)
Resistance System	:	Electro-magnetic Resistance
Power	:	Self Generated Power System
Programs	:	06 Programs - Manual, HRC, Random, Weight Loss, CV And Hill Intervals
Drive System	:	Centre Design Drive, Super Silent Poly-v Belt Driven
Cardio Monitor	:	In-built Metallic Pulse Sensor Provided With T Bar Style Handle Grips Enables To The Cardio Monitoring On Board
Display Feedback	:	Multi Feedback Read Out Instantly Displays Time, Distance, RPM, Calories, Heart Rate, Speed, Work (Resistance) Levels, Watts And Mets. (Dot Matrix LED)
U.S.P	:	Water Bottle And Mobile Phone Holder
Maximum User Weight	:	180 Kgs



TOPPRO®

COMMERCIAL ELLIPTICAL BIKE

TP-8500 EL

SPECIFICATIONS

Dimension	:	88"(L) x 27"(W) x 63"(H)
Stride	:	20" Natural Stride
Maximum Watt	:	400 Watts
Resistance Level	:	40 Levels
Resistance System	:	Generator
Power	:	Self Generated Power System
Programs	:	16 Programs, 4 Preset, 2 Test, 4 HRC, 1 Manual, 3 Goal & 2 Users Drive System: Centre Design Drive, Super Silent Poly-V Belt Driven.
Pedals	:	Self Balancing, Close Spacing, Enlarge & Impact Absorbing, Fit To Any Size User, Provides Gentle Movements To Reduce Lower Body Stress
Cardio Monitor	:	In Built Metallic Pulse Sensor Provided With T Bar Style Handle Grips
Display	:	Dot Matrix Large LED Scrolling Text, Computerized Console
Display Feedback	:	Time, Distance, RPM, Calories & Pulse
Transportation	:	Transportation Wheel For Easy Transport
Accessory Holder	:	Water Bottle & Mobile Phone Holder
Step-up Height	:	12 Inch Easy Step-up Height
Maximum User Weight	:	180 Kgs





COMMERCIAL ELLIPTICAL CROSS TRAINER

TP-157 EL

SPECIFICATIONS

Voltage	:	110V/ 220V Self-generating Electricity
Stride	:	21" Natural Stride
Flywheel	:	14 Kgs
Track	:	Double track
Resistance Adjustment	:	32 level or digital resistance Self Generator
Pulse	:	Heart rate sensor
Display	:	Time, Speed, Distance, Heart Rate, Calorie
Product Size	:	74 x 33 x 69
Net Weight	:	128kgs
Max. User Weight	:	160kgs



TOPPRO®

COMMERCIAL ELLIPTICAL CROSS TRAINER

TP-8600 EL

SPECIFICATIONS

Dimension	: 80" (L) X 37"(W) X 74"(H)
Stride	: 22" natural stride
Resistance	: Self Generator
Resistance Level	: 32 Level
Display	: 15.6 LED Screen
Display Feedback	: Time, Speed, Heart Rate, Calories
Speaker	: In-built speakers
Bluetooth Connection	: Yes
Net Weight	: 163 kgs
User Weight	: 180 kgs



TOPPRO®

COMMERCIAL AUTO MOTION TRAINER

TP-148 AMT

SPECIFICATIONS

Dimension	:	98" (L) X 35" (W) X 73" (H)
Strides	:	22 Dual action strides
Resistance Level	:	15 Levels
Fly Wheel	:	Electro-magnetic flywheel precision balanced
User Weight	:	200 Kgs



TOPPRO®

UPRIGHT BIKE

WWW.TOPPROFITNESS.COM

f TOPPROFITNESS

ig TOPPROFITNESS



UPRIGHT BIKE

TOPPRO®

SPECIFICATIONS

Dimension	: 48" (L) x 24" (W) x 58" (H)
Resistance Level	: 8 Levels.
Resistance System	: Friction Free Magnetic Resistance.
Fly Wheel	: 6 Kgs, Precision Balanced.
Drive System	: Centre Design Drive, Super Silent Poly-V : Belt Driven
Pedals	: Self Balanced Extra Wide Paddles Wit : Adjustable Straps Fit To Any Size User.
Seat	: Ergonomically Designed Comfortable Seat With : 8 Levels Vertical And Sliding Horizontal Seat : Adjustment.
Handle Bars	: U-bar Style, In-built Contact, Heart Rate Sensor With : Hand Grips.
Display	: LCD Display Console.
Display Feedback	: Multi Feedback Read Out Displays Time, Speed, Distance, : Pulse And Calories
User Weight	: 120 Kgs.
Crank Assembly	: 3 Piece Crank Assembly
Frame Finishing	: Proprietary Two Coat Powder Process.
Rust Proof	: All Frame Structures Electro Statically : Powder Coated To Ensure Minimum : Corrosion And Chip Resistance.

TP-870 U



TP-870 U



UPRIGHT BIKE

TOPPRO®

TP-900 U

SPECIFICATIONS

Dimension	: 44" (L) X 22" (W) X 55" (H)
Resistance Level	: 15 Levels
Resistance System	: Friction Free Magnetic Resistance.
Power	: 1.5 Volt X 2 Aa Size Battery
Fly Wheel	: 7 Kg Precision Balanced
Drive System	: Centre Design Drive, Super : Silent Poly V Belt Driven
Display	: Lcd, Computerised Console
Crank Assembly	: 3 Pieces Crank Assembly
Maximum User Weight	: 130 Kg



TP-900U



UPRIGHT BIKE

TP-8900 U

TOPPRO®

SPECIFICATIONS

Computer Console	:	Led Dot Matrix
Programs	:	Manual, Constant Watts, Mountain Heart Rate Control, Fitness Test
Resistance	:	8 Resistance Levels Electro Magnetic Brack
Pulse Sensor	:	Hand Grip Pulse Sensor
Goal Workout	:	Time, Calories, Distance, Speed, RPM, Scan
Seat	:	Ergonomically Designed Comfortable Seat with 15 Levels Seat Easy Height Adjustable
Pedals	:	Balanced Extra Wide Pedals with Adjustable Straps
Power	:	Self Generator Re-chargeable Battery
Set-Up-Area	:	47 (L) X 220(W) X 570(H)
User Weight	:	Up To 150 Kgs



TP - 8900U



UPRIGHT BIKE

TOPPRO®

TP-9350U

SPECIFICATIONS

Dimensions	: 45" (L) x 23" (W) x 60" (H)
Resistance Level	: 15 Level
Resistance System	: PMS Control
Power	: 1.5 Volt x 2, AAA Size Battery
User Weight	: 135kgs



TP - 9350U



UPRIGHT BIKE

TP-9500 U

SPECIFICATIONS

Display Monitor	: Blue Light LCD, Indicating Scan, Time, : Speed, Distance, Calorie, Pulse, Body Fat
Tension	: 16 Level Auto Tension Control
Programme	: 1 Manual, 2-7 Preset, 8- Body Fat
Fly Wheel	: 8 Kgs., 2-way Inner Magnetic Flat Belt Design.
Movement	: Front Wheel Adjuster For Transportation.
Crank	: 3pc High Load Design
Set Up Area	: 43" (L) x 24" (W) x 57" (H).
Net Weight	: 45 Kgs.
U.S.P.	: Adjustable Seat Fit For All Heights Speaker Interface
User Weight	: 130 Kgs.



TP - 9500 U



UPRIGHT BIKE

TP-6500 U

SPECIFICATIONS

Set Up Area	: 44" (L) x 22" (W) x 59" (H)
Maximum Watt	: 350 Watts.
Resistance Level	: 16 Levels.
Resistance System	: Electro-magnetic Resistance.
Power	: Self Generated Power System.
Programs	: 17 Programs - 12 Preset (P1 To P12) 1 Manual, : 4 User, & HRC (55%, 75%, 90%, TRG).
Drive System	: Centre Design Drive, Super Silent Poly-V Belt Driven.
Pedals	: Self Balanced Extra Wide Pedals With Adjustable Straps Fit To : Any Size User, Close Spacing, Shock Absorbing And Air Cushion : Provides Gentle Movements.
Seat	: Ergonomically Designed Comfortable Seat With Flex Cushion : With 13 Levels Vertical Seat Adjustment.
Handle Bars	: U-bar Style With Ergonomically Elbow Support Pad And : In-built Contact Heart Rate Sensors With Hand Grips
Display	: LED Display With Computerized Console
Display Feedback	: Multi Feedback Read Out Instantly Displays Time, Distance, : RPM, Calories, Pulse, Resistance Levels, Watts, And Speed
Mode/set Option	: Time, Distance And Calories Can Be Set As Per User Requirements
Accessory Holder	: Water Bottle And Mobile Phone Holder
Crank Assembly	: 3Pieces Crank Assembly
User Weight	: 180 Kgs

TOPPRO®



TP-6500 U



UPRIGHT BIKE

TP-8800 U

SPECIFICATIONS

Computer Console	:	Led Dot Matrix
Programs	:	Manual, Constant Watts, Mountain
	:	Heart Rate Control, Fitness Test
Resistance	:	8 Resistance Levels Electro Magnetic Brack
Pulse Sensor	:	Hand Grip Pulse Sensor
Goal Workout	:	Time, Calories, Distance, Speed, RPM, Scan
Seat	:	Ergonomically Designed Comfortable Seat with
	:	15 Levels Seat Easy Height Adjustable
Pedals	:	Balanced Extra Wide Pedals with Adjustable Straps
Power	:	Self Generator Re-chargeable Battery
Set-Up-Area	:	47 (L) X 220(W) X 570(H)
User Weight	:	Up To 150 Kgs



TP-8800 U



UPRIGHT BIKE

TP-8800 U

SPECIFICATIONS

Computer Console	:	Led Dot Matrix
Programs	:	Manual, Constant Watts, Mountain
	:	Heart Rate Control, Fitness Test
Resistance	:	8 Resistance Levels Electro Magnetic Brack
Pulse Sensor	:	Hand Grip Pulse Sensor
Goal Workout	:	Time, Calories, Distance, Speed, RPM, Scan
Seat	:	Ergonomically Designed Comfortable Seat with
	:	15 Levels Seat Easy Height Adjustable
Pedals	:	Balanced Extra Wide Pedals with Adjustable Straps
Power	:	Self Generator Re-chargeable Battery
Set-Up-Area	:	47 (L) X 220(W) X 570(H)
User Weight	:	Up To 150 Kgs

TOPPRO®





TP-8800 U



TOPPRO® RECLUMBENT BIKE



WWW.TOPPROFITNESS.COM  TOPPROFITNESS  TOPPROFITNESS

RECUMBENT BIKE

TP-870 R

TP-870 R



TOPPRO®

SPECIFICATIONS

Set Up Area	:	69" (L) x 27" (W) x 42" (H)
Resistance Level	:	8 Levels, Friction Free Magnetic Resistance
Drive System	:	Centre Design Drive, Super Silent Poly-V Belt Driven
Pedals	:	Self Balanced Extra Wide Paddles With Adjustable Straps Fit To Any Size User
Seat	:	Ergonomically Designed Comfortable Seat With Nylon Net Back Contoured For Lumbar Support With Horizontal Slide Adjustment
Handle Bars	:	Side Handle Bar With Contact Heart Rate Sensor And U Bar Style Front Handle
Display	:	LCD Display, Single Window Computerized Console
Display Feedback	:	Multi Feedback Read Out Instantly Displays Time, Speed, Distance, Calories And Pulse
Crank Assembly	:	3 Pieces Crank Assembly
Frame Structure	:	Extra Sturdy And Stable Steel Frame Construction Durability And Stability
Frame Finishing	:	Extra Sturdy And Stable Steel Frame Construction For Maximum Durability And Stability, Proprietary Two Coat Powder Process
Fly Wheel	:	9 Kgs Precision Balance
User Weight	:	120 Kgs



 WWW.TOPPROFITNESS.COM

 [TOPPROFITNESS](https://www.facebook.com/TopProFitness)

 [TOPPROFITNESS](https://www.instagram.com/TopProFitness)

RECUMBENT BIKE

TP-9250 R

TP-9250 R



TOPPRO®

SPECIFICATIONS

Dimension	: 60" (L) X 27" (W) X 48" (H).
Resistance Level	: 15 Levels.
Resistance System:	: Friction-Free Magnetic Resistance.
Power	: 1.5Volt X 2, AAA Size Battery
Fly Wheel	: 7 Kgs Precision Balanced.
Drive System	: Centre Design Drive, Super Silent Poly-V Belt Driven.
Seat	: Ergonomically designed comfortable seat with flex : back cushion contoured for lumbar support with : horizontal slide adjustment.
Display	: LCD display.
Frame	: Heavy gauge steel construction with Premium textured : powder coating
Display Feedback	: Speed, Time, Distance, Heart rate, Calories, & ODO meter.
User Weight	: 135 Kgs.
Crank Assembly	: 3 Pieces Crank Assembly.



 WWW.TOPPROFITNESS.COM

 [TOPPROFITNESS](https://www.facebook.com/topprofitfitness)

 [TOPPROFITNESS](https://www.instagram.com/topprofitfitness)

RECUMBENT BIKE

TP-9500 R

TP-9500 R



TOPPRO®

SPECIFICATIONS

Display Monitor	:	Blue Light LCD, Indicating Scan, Time, Speed, Distance, Calorie, Pulse, Body Fat
Tension	:	16 Level Auto Tension Control
Programme	:	1 Manual, 2 – 7 Preset, 8- Body Fat
Fly Wheel	:	8 Kgs., 2-way Inter Magnetic Flat Belt Design
Movement	:	Front Wheel Adjuster For Transportation
Crank	:	3 Pc High Load In Take Design
Set up Area	:	69" (L) x 27" (W) x 43" (H)
Net Weight	:	58 Kgs
User Weight	:	130 Kgs
U.S.P.	:	Adjustable Seat For Front Movement Suited For Users Of All Ages Speaker Interface



WWW.TOPPROFITNESS.COM

[f TOPPROFITNESS](https://www.facebook.com/topprofitness)

[i TOPPROFITNESS](https://www.instagram.com/topprofitness)

RECUMBENT BIKE

TP-8800 R

TP-8800 R



TOPPRO®

SPECIFICATIONS

Computer Console	: LED Dot Matrix
Programs	: Manual, Constant Watts, Interval, Hills, Plateau, Mountain Heart Rate Control, Fitness Test
Resistance	: 8 Resistance Levels Electro Magnetic Break
Pulse Sensor	: Hand Grip Pulse Sensor
Goal Workout	: Time, Calories, Distance, Speed, RPM, Scan
Seat	: Ergonomically Designed Comfortable Seat With Flex Back Support And With 27 Levels Seat Easy Slide Adjustment
Pedals	: Balanced Extra Wide Pedals With Adjustable Straps
Power	: Self Generator Re-chargeable Battery
User Weight	: 150 Kgs
Set Up Area	: 56" (L) x 20" (W) x 53" (H)



 WWW.TOPPROFITNESS.COM

 [TOPPROFITNESS](https://www.facebook.com/TopProFitness)

 [TOPPROFITNESS](https://www.instagram.com/TopProFitness)

RECUMBENT BIKE

TP-520 R

TP-520 R



TOPPRO®

SPECIFICATIONS

Dimension	: 66" (L) X 30"(W) X 50"(H)
Maximum	: 350 watt, extendable to 600 Watt
Resistance	: 16 Levels
Resistance System	: Electro-Magnetic resistance
Power	: Self Generated power system
Programs	: 23 Programs – 12 Preset(P1toP12), 1 Manual, 1 Body Fat, : 4 User, 4 HRC(55%,75%, 90%, TRG) and 1 Watt
Fly wheel	: 11 Kg, Precision Balanced
Pedals	: Self Balanced extra wide paddles with adjustable : straps fit to any size user
Seat	: Ergonomically designed comfortable seat with flex : back cushion contoured
Display	: for lumbar support with 25 levels seat easy slide and : 3 level back rest adjustment
Display Feedback	: LCD with blue back light scrolling text, computerized console : Multi feedback read out instantly displays time, distance, : RPM, Calories, pulse, resistance levels, watt, distance, speed
User Weight	: 140 kgs.
Crank assembly	: 3 pieces crank assembly
Frame Structure	: Extra sturdy and stable steel frame construction/Arched : Support frame for maximum durability & stability



 WWW.TOPPROFITNESS.COM

 [TOPPROFITNESS](https://www.facebook.com/TopProFitness)

 [TOPPROFITNESS](https://www.instagram.com/TopProFitness)



TOPPRO[®]

SPIN

BIKE



TOPPRO®

COMMERCIAL INDOOR SPINNING BIKE

TP-921

SPECIFICATIONS

Wheel Weight	:	20 Kgs.
Mechanism	:	Two Way System 3 Pcs. Crank / V-Belt
Set Up Area	:	55 (L) X 28(W) X 51 (H)
Display	:	Pulse Recovery, Calories, Body Fat, Time, Speed, Distance, Temperature
Net Weight	:	42 Kgs
U.S.P.	:	Magnetic Resistance Ergonomic Design Sturdy Bike For Hard Core Training
User Weight	:	140 Kgs.
Exerciser Height Range	:	150 cm - 185 cm
Maximum User Weight	:	150 Kgs.





COMMERCIAL INDOOR SPINNING BIKE

TP-922

SPECIFICATIONS

Set Up Area	:	51" (L) x 21" (W) x 47" (H)
Wheel Weight	:	20 Kgs.
Mechanism	:	Chain Driven, The Bicycle Can Be Ridden In Dual Directions, User Can Choose Direction At His Pleasure. 3 Pc. Crank
Net Weight	:	50 Kgs.
U.S.P.	:	Unique Shield Designed To Prevent The Flywheel Being Sweat Corrosion. Adopt Streamlined Design, Which Makes The Appearance Smooth And Nice.
Maximum User Weight	:	150 Kgs.





COMMERCIAL INDOOR SPINNING BIKE

TP-923

SPECIFICATIONS

Set Up Area	:	48" (L) X 24" (W) X 53"(H)
Spin Wheel	:	21.5 Kgs High Inertia Spin Wheel.
Pedals	:	Self Balanced Wide With Adjustable Straps Fit To Any Size User, Close Spacing,
Handle Bars	:	Chrome With PVC Dipping, T Knob Vertical Adjustments With Extra Hand Grips.
Frame	:	Ergonomically Designed Frame Makes Usage More Comfortable.
Maximum User Weight	:	150 Kgs.





COMMERCIAL INDOOR SPINNING BIKE

TP-924 (BLACK)

SPECIFICATIONS

Set Up Area	:	46" (L) X 22" (W) X 44"(H)
Spin Wheel	:	28 Kgs. Flywheel. Commercial use
Handle Bars	:	Commercial bold PVC handle bar
Machine weight	:	70Kgs.
Colour	:	Black
U.S.P	:	Two-way Belt transmission Double chip resistance system Pull resistant way for emergency break Equipped with stainless steel pedal All-inclusive shell, Protect wheel and users.
Maximum User Weight	:	150 Kgs.





COMMERCIAL INDOOR SPINNING BIKE

TP-924 (YELLOW)

SPECIFICATIONS

Set Up Area	:	46" (L) X 22" (W) X 44" (H)
Spin Wheel	:	28 Kgs. Flywheel. Commercial use
Handle Bars	:	Commercial bold PVC handle bar
Machine weight	:	70 Kgs.
Colour	:	Yellow
U.S.P.	:	Two-way Belt transmission Double chip resistance system Pull resistant way for emergency break Equipped with stainless steel pedal All-inclusive shell, Protect wheel and users.
Maximum User Weight:	:	150 Kgs.

TP-924



TOPPRO®

COMMERCIAL INDOOR SPINNING BIKE

TP-925

SPECIFICATIONS

Set Up Area	:	58 (L) x 21" (W) x 49" (H) CE, RoHS & ISO9001
Machine Weight	:	80 Kgs.
Flywheel weight	:	24 Kgs.
Color	:	Green and Black
U.S.P.	:	Adjustable Seat and Front handle Double chip resistance system Pull resistant way for emergency brake Equipped with stainless steel pedal All-inclusive shell, Protect wheel and users.
Maximum User Weight	:	150 Kgs.



TOPPRO®

COMMERCIAL INDOOR SPINNING BIKE

TP-926

SPECIFICATIONS

Set Up Area	:	46" (L) X 22" (W) X 44" (H)
Spin Wheel	:	28 Kgs. flywheel, commercial use
Handle Bars	:	Commercial bold PVC handle bar
Machine weight	:	70 Kgs.
U.S.P.	:	Double chip resistance system Pull resistant way for emergency brake Equipped with stainless steel pedal All-inclusive shell, Protect wheel and users.
Maximum User Weight	:	150 Kgs.

TP-926



TOPPRO®

COMMERCIAL INDOOR SPINNING BIKE

TP-300

SPECIFICATIONS

Colour	: Black	Product Weight	: 42.5 Kg.
Flywheel	: 4Kg. Aluminium	Hand Bar Up-Down	: 23 cm.
Resistance Adjustment	: Manual Magnetic Control	Seat Fore-Aft	: 10 cm
Pedals	: Dual Sided. Spd In Option	Seat Up-Down	: 30 cm
XHeight Adjustment Style	: Pop Pin Knob	Maximum User Weight	: 150 Kgs.
Exerciser Height Range	: 150 Cm - 185 cm		
Product Dimension (Lxwxh)	: 126 Cm X 50 cm X 100 cm		
U.S.P.	: Food Grade Abs cover, Bottle Holder Pad Holder, Aluminium Height Adjuster Frame		



TOPPRO® ASSAULT BIKE

 WWW.TOPPROFITNESS.COM  [TOPPROFITNESS](https://www.facebook.com/TopProFitness)  [TOPPROFITNESS](https://www.instagram.com/TopProFitness)



ASSAULT BIKE

PRO-200

SPECIFICATIONS

Dimension	: 43" (L) X 24"(W) X 53"(H)
Resistance	: Electromagnetic resistance
Programs	: Interval, Target Time, Target Heart : Rate, Target Calories And Distance
Display Function	: LCD Console Target Heart Rate
UPS	: Micro-Adjustment On The Seat UP & Down : Back & Forward.
U.S.P.	• Heavy-Dutty Frame With Reinforced Pedals And • Crank. Micro-Adjustment On The Seat Up And Down • And Back And Forward. Heavy-Dutty Rubber Grips
Net Weight	: 49.2 kgs
User Weight Capacity	: 180 kgs

TOPPRO®



ASSAULT BIKE

PRO-300

SPECIFICATIONS

Dimension	: 49" (L) X 30"(W) X 57"(H)
Resistance	: Electromagnetic resistance
Console Measures	: Speed, Time, Distance, Calories, : RPM And Watts
Programs	: Interval, Target Time, Target Heart : Rate, Target Calories And Distance
Display Function	: Time, Speed, Distance, RPM, Watt, Calories, : Pulse, Interval, Target Heart Rate
U.S.P.	<ul style="list-style-type: none">• Heavy-Dutty Frame With Reinforced Pedals And• Crank. Micro-Adjustment On The Seat Up And Down• And Back And Forward. Heavy-Dutty Rubber Grips
Net Weight	: 64 kgs
User Weight Capacity	: 180 kgs

TOPPRO®



WWW.TOPPROFITNESS.COM [f TOPPROFITNESS](https://www.facebook.com/topprofitness) [i TOPPROFITNESS](https://www.instagram.com/topprofitness)

TOPPRO®

ROWING MACHINE

 WWW.TOPPROFITNESS.COM  [TOPPROFITNESS](https://www.facebook.com/TOPPROFITNESS)  [TOPPROFITNESS](https://www.instagram.com/TOPPROFITNESS)



ROWING MACHINE

TOPPRO®

SPECIFICATIONS

Machine Size	: 220*55*50 cm
Packing size	: 96*57*57*cm+150*12*1 cm
Material	: Machine head: Square steel, bottom foot: 76 round steel tube,
Rail	: Aluminum alloy
Net Weight	: 38 kg
W/G	: 40 kg
Max capacity	: 180 kg
Display	: Speed/Time/Dis./Calories
Tubing	: High quality commercial tube
Thickness	: 3mm

TP - 1750



WWW.TOPPROFITNESS.COM



TOPPROFITNESS



TOPPROFITNESS

TP - 1750

ROWING MACHINE

TOPPRO®

SPECIFICATIONS

Resistance Levels	: Adjustable fluid resistance from minimum to maximum.
Monitor Function	: Program for time, stroke count & tempo signal.
Display Feed Back	: Speed, time, distance, calories and pulse.
Frame	: Strong construction, centre beam with stainless steel & heavy duty seat rail.
Seat	: Super comfortable seat, ergonomic hip shape thick molded seat with PU foam.
Monitor Arm Tube	: 50 X 50 X t 1.5 mm with wide adjustable angle.
Handle Bar Tube	: Dia 28 X t 1.5mm with dipping.
Front & Rear Stabilizer Tube	: 30 X 60 X t 1.5 mm steel.
Dimension	: 96" (L) X 24" (W) X 14" (H)
Colour	: Black
Max. User Weight	: 135 Kgs.
USP	: Ergonomic Design Heavy centre beam with stainless steel Game Programs

TP - 2000



WWW.TOPPROFITNESS.COM



TOPPROFITNESS



TOPPROFITNESS

TP - 2000

ROWING MACHINE

TOPPRO®

SPECIFICATIONS

Dimensions	: (L) X 82" (W) X 22" (H) X 22"
Frame	: Aluminum alloy
Colour	: Silver, Black
Dry weight	: 40 kgs
Proration Workout	: Paddling motion with uniform resistance, which can distribute the workout load more evenly across the muscle groups, training in proportion to the strength of the muscle group.
Easy Storage	: The Water Rower makes good use of the y-axis space for storage. Compared with other traditional cardio equipment, it occupies a smaller storage area. It also supports optional folding devices to further reduce storage space. Compared with other common cardio exercise equipment, such as treadmills, bikes, ellipticals, etc. In per unit time, the Water Rower uses more muscle mass, burns more calories, and is more efficient.

TP - 2500



TP-2500



A man is shown from the waist up, sitting on an exercise bike and pedaling. He is shirtless and wearing black shorts. The bike is a recumbent style with a large flywheel and a digital display. The background is dark and out of focus.

TOPPRO® AB ROASTER

 WWW.TOPPROFITNESS.COM  [TOPPROFITNESS](#)  [TOPPROFITNESS](#)



AB ROASTER

TP-ABR-02

TOPPRO®



SPECIFICATIONS

Dimension : 45"(L) x 35"(W) x 57" (H)

Features & Tips : The Ab-booster Heavy Is
Designed To Help You Exercise
Your Abdominal Muscles Via A
Leg Lift Motion. Abs strengthening
+ shading

- U.S.P.
- You Can Add Upto 40 Lbs of Weight For
 - Extra Resistance During Exercise
 - Free-style Motion Seat, Urethane molded
 - Ultra-Glide Nylon Rollers with
 - Sealed Steel Bearings
 - Foam Pads with Adjustable Hand Grips

Net Weight : 58 Kgs

Max. Weight : 200 Kgs



WWW.TOPPROFITNESS.COM [f TOPPROFITNESS](https://www.facebook.com/topprofitfitness) [i TOPPROFITNESS](https://www.instagram.com/topprofitfitness)

AB ROASTER

TP-3082

SPECIFICATIONS

Dimension : 76"(L) x 27"(W) x 59" (H)

Features & Tips : The Ab-booster Heavy Is
Designed To Help You Exercise
Your Abdominal Muscles Via A
Leg Lift Motion. Abs strengthening
+ shading

U.S.P.

- You Can Add Upto 40 Lbs of Weight For
- Extra Resistance During Exercise
- Free-style Motion Seat, Urethane molded
- Ultra-Glide Nylon Rollers with
- Sealed Steel Bearings
- Foam Pads with Adjustable Hand Grips

Net Weight : 60 Kgs

Max. Weight : 200 Kgs



TOPPRO®



WWW.TOPPROFITNESS.COM [f TOPPROFITNESS](https://www.facebook.com/topprofitfitness) [i TOPPROFITNESS](https://www.instagram.com/topprofitfitness)

TOPPRO® STAIR CLIMBER

 WWW.TOPPROFITNESS.COM  [TOPPROFITNESS](https://www.facebook.com/topprofitfitness)  [TOPPROFITNESS](https://www.instagram.com/topprofitfitness)



STAIR CLIMBER

TP-9000

SPECIFICATIONS

Dimension	: 58" (L) x 35" (W) x 85" (H)
Step area	: 10" (L) x 22" (W)
Maximum speed	: 120 steps per minute
Max load weight	: 200kg

TOPPRO®



TOPPRO® SKI TRAINER

 WWW.TOPPROFITNESS.COM  TOPPROFITNESS  TOPPROFITNESS



SKI TRAINER

TP-2800

SPECIFICATIONS

Dimensions : 52"(L) x 24"(W) x 86"(H)

Display : Speed/Time/Distance/Calories

Net Weight : 50 Kgs

Max. User Weight : 150 Kgs

Resistance : Resistance adjustable Windage
: adjustable 10 level

U.S.P.

- Ski Training experience, High-strength, Full
- Body Workout, extremely light weight cords on
- drive system for smooth feel. Ergonomic, strapless
- handles provide for a comfortable, secure grip,
- Suitable for all hand sizes as they require no adjustment.

TOPPRO®



WWW.TOPPROFITNESS.COM [f TOPPROFITNESS](https://www.facebook.com/topprofitness) [i TOPPROFITNESS](https://www.instagram.com/topprofitness)

TOPPRO[®]

GYM

FAN

 WWW.TOPPROFITNESS.COM  TOPPROFITNESS  TOPPROFITNESS



GYM FAN

TP-101

SPECIFICATIONS

Dimension	: 60" (L) X 34" (W) X 65" (H)
Fan speed	: 460T/M
Voltage	: 220V/50HZ
Fan volume	: >38000m3/h Suit for 400-600sqm
Net Weight	: 51 Kgs
Gross weight	: 53 Kgs

TOPPRO®



WWW.TOPPROFITNESS.COM  TOPPROFITNESS  TOPPROFITNESS

GYM FAN

NEON FAN

SPECIFICATIONS

TOPPRO BIG FAN CREATES AIRFLOW FOR 500 M² OR 1/3 OF FOOTBALL FIELD (36.6 METERS) COVERAGE.

Dimension	: 84" (L) X 28" (W) X 79" (H)
Output	: 0.75kw (Less Than Using A Toaster)
Speed Adjustable	: 0-200 Rpm With 9 Speed Levels
Transportation	: Easy Movable (4 Wheels) With Wheel Locking System
Frame	: Powder-coated Steel
Wing	: Aluminium
Weight	: 200 Kgs.
Color	: Neon Green Wings With Black Body
U.S.P.	<ul style="list-style-type: none">• Fast To Use & Move, Handles On Both Sides For Easy• Move, Fits Through Standard Interior

TOPPRO®



QUALITY COMMITMENT SERVICE



K C VERMA AND COMPANY

73-74, Basti Nau, Jalandhar-144002 Punjab (India)

☎ 7528902890 | 9815122445 ✉ topprofitness@gmail.com

🌐 WWW.TOPPROFITNESS.COM

