
INDIA'S PREMIUM FITNESS EQUIPMENTS BRAND
TOPPRO
TOPPRO
STRENGTH
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS
GERMAN DESIGN
ISO-9001
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY
Limited
FRAME

COMPANY PROFILE

TOPPRO®

TOPPRO is a Registered Trademark of **M/s. K.C. VERMA AND COMPANY (ISO 9001:2015)** which was established in 1972 by **LATE SH. K.C. VERMA & LATE SH. ARUN VERMA,** under their blessings and guidance, we have thrived to become INDIA'S PREMIUM FITNESS EQUIPMENT BRAND. With over 50 years of experience in customer satisfaction and product development our commitment to gym equipments and sports business is not simply selling products but taking responsibility and providing timely services to the clients with professional guidance for equipment selection at all times. All TOPPRO Products are **EN-957 & CE-3361** Certified for Safety.

We at TOPPRO always believe in **"Quality, Commitment & Service"** as our slogan and that has been our driving force to serve our customers with fitness equipments which have been exclusively designed in Germany and certified for quality by **LPI Taiwan.**

Our extensive range of well designed cardio, strength and outdoor equipments are made to serve all segments of society from beginners to gym trainees to hard core trainees to hard ore trainers, our products have left a mark in every sphere of fitness training. With our organized and widely spread dealer network throughout thecountry, our dealers have always promoted **TOPPRO** equipments with confidence and service facility unmatched.

We undertake to continuously work for the up gradation of our industry and setting quality, commitment and service standards for others to follow. We have transformed our working style to evolve as a market leader with distinct identity. We appreciate your valuable suggestions and look forward to serving you with our products.



BRAND PROFILE

TOPPRO®



We at **TOPPRO** always believe in **"Quality, Commitment & Service "** as our slogan and that has been our driving force to serve our customers with Fitness Equipments which have been exclusively designed in **Germany** and certified for quality by LPI **TAIWAN.**

Our extensive range of well designed Cardio & Strength equipments are made to serve all segments of society from beginners to gym trainees to professional trainers, Our products have left a mark in every sphere of fitness training.

With our professional sales & marketing team we are always looking out to explore new markets & the sales team is backed with a strong professional service team to cater to your queries & after sales at all times. With our organized and widely spread Dealer network through out the country our dealers have always promoted **TOPPRO** equipments with confidence and service facility unmatched.

We undertake to continuously work for the up gradation of our Industry and set up **Quality, Commitment & Service** Standars for others to follow. We have transformed our working style to evolve as a market leader with distinct Identity. We appreciate your valuable suggestion & look forward to serving you with our products.

TOPPRO®

TOPPRO®

CERTIFICATIONS













WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

OUR CLIENTS

P.A.U LUDHIANA

HPCA

KAPURTHALA

NIT JALANDHAR

PAP JALANDHAR

POLICE LINES FIROZPUR

POLICE LINES HOSHIARPUR

POLICE LINES AMRITSAR

BHADURGARH

INDIAN ARMY

BSF

Standard Chartered

BHEL

NTPC

J&K Bank

Maya Garden 3

HOTEL A9 BARNALA

HOPE FITNESS

NEO Fitnes

PRO Fitness LUDHIANA

Body Plan KAPURTHALA

MUSCLE GARAGE LUDHIANA

SHAHKOT

MUKTSAR SAHIB

STRONG GYM NAKODAR

JIO GYM SRINAGAR

ROYAL FITNESS CLUB MALSIAN

PRO FITNESS GYM MORINDA

Muscle Trend SRINAGAR

Godrej

BARNALA BUILDERS

Fitness Nation SULTANPUR LODHI

NEW CITY FITNESS PLANET HOSHIARPUR

IRON ADDICTS DHARAMAKOT

STAR GYM FIROZPUR

Faridabad GYMKHANA

Fitness Freak JAMMU

Oasis Health Club JAMMU

L.A. Krishna Gym JAMMU

RAHEJA EARTH RAIPUR

TATA

SALASAR GREEN RAIPUR

LORDS FITNESS RAIPUR

REMOLD FITNESS RAIPUR

Fitness Tycoon RAIPUR

Spartan Health Club RAIPUR

Canara Bank

S22 FITTNESS JAMMU

INTERNATIONAL GYM JAMMU

GSP FITNESS RAIPUR

EASTERN RAILWAY

ONGC

S22 FITNESS

Indian Oil

WORK OUT STUDIO RAIPUR

Elan Health Club SRINAGAR

Union Bank of India

COUNTRY INN & SUITES ZIRAKPUR

SAROVAR HOTELS PATHANKOT

HEALTH & WATCH

paisabazaar.com

V16 Gym JAMMU

P & P FITNESS JAMMU

RAJPUT FITNESS RAIPUR


RAJPUT FITNESS DHAMTARI


Jullundur GYMKHANA

AKS FITNESS STUDIO JAMMU

TOPPRO®


GYM DESIGN & LAYOUT






WE DESIGN YOUR FITNESS PROJECT

We specialise not only in selling fitness equipments but also designing. The layout pattern for optimum & ergonomic placement. We strongly believe that space should be optically utilised & each equipment should bee reasonably placed so as not to hamper individual movements. There should be reasonable clearance & free space for movement. Our core designing team help you optimise your interior keep - ing in view your investments. Qualified expertise, commitment & service support to adhere you for a successful venture.





CONTENTS

STRENGTH EQUIPMENTS

1 ALPHA SERIES 

2 CLUB SERIES 

3 HULK SERIES 

4 ROYAL SERIES 

5 ELITE SERIES 

6 PEAK SERIES 

7 TECH SERIES 

8 POWER PACK 

9 HUMMER SERIES 

10 ROCK SERIES 

11 KNIGHT SERIES 

12 DUAL HARISON 

13 H SERIES 

14 SUN SERIES 

15 MULTI GYMS 

16 SFC SERIES 

17 SFT SERIES 

18 WARRIOR SERIES 

19 HAM PRO SERIES 

20 HAM STRENGTH 

21 SEAN SERIES 

22 PREMIUM SERIES 

23 RACK PRO SERIES 

24 STAR SERIES 

25 TITAN SERIES 

26 CROSSFIT 

TOPPRO®

ALPHA SERIES



WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

GERMAN DESIGN ISO-9001 CERTIFIED BY LPI TAIWAN LIFETIME WARRANTY Limited FRAME

PRONE LEG CURL
TP-1101



- Dimension : 65*37*61 Inch
- Net Weight : 190 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Prone Leg Curl uses a prone design to enhance the ease-of-use experience. The widened elbow pads and grips help users to better stabilize the torso, and the ankle roller pads can be adjusted according to different leg lengths and ensure stable and optimal resistance.

LEG EXTENSION
TP-1102



- Dimension : 60*40*61 Inch
- Net Weight : 200 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Leg Extension have multiple starting positions, which can be adjusted freely according to user needs to improve exercise flexibility. The adjustable ankle pad allows the user to choose the most comfortable posture in a small area. The adjustable back cushion allows the knees to be easily aligned with the pivot axis to achieve good biomechanic.

LEG PRESS
TP-1103



- Dimension : 82*41*61 Inch
- Net Weight : 235 KGS.
- Wieght Stack : 94 KGS.

The Alpha Series of Leg Press have widened foot pads. To achieve a better training effect, the design allows full extension during exercises, and supports maintaining verticality to simulate a squat exercise. The adjustable seat back can provide different users with their desired starting positions.

PEC FLY / REAR DELT
TP-1107



- Dimension : 52*48*79 Inch
- Net Weight : 200 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Leg Extension have multiple starting positions, which can be adjusted freely according to user needs to improve exercise flexibility. The adjustable ankle pad allows the user to choose the most comfortable posture in a small area. The adjustable back cushion allows the knees to be easily aligned with the pivot axis to achieve good biomechanic.

DIP / CHIN ASSIST
TP-1109



- Dimension : 61*54*93 Inch
- Net Weight : 235 KGS.
- Wieght Stack : 88 KGS.

The Alpha Series Dip/Chin Assist not only can it be used as a part of the serial modular core of a plug-in workstation or a multi-person station, but it is also a mature dual-function system. Large steps, comfortable knee pads, rotatable tilt handles and multi-position pull-up handles are part of the highly versatile dip/chin assist device. The knee pad can be folded to realize the user's unassisted exercise. The linear bearing mechanism provides guarantee for the overall stability and durability of the equipment.

SEATED LEG CURL
TP-1123



- Dimension : 65*42*61 Inch
- Net Weight : 215 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Seated Leg Curl is designed with adjustable calf pads and thigh pads with handles. The wide seat cushion is slightly inclined to correctly align the exerciser's knees with the pivot point, helping customers find the correct exercise posture to ensure better muscle isolation and higher comfort.

SEATED DIP
TP-1126



- Dimension : 47*67*62 Inch
- Net Weight : 206 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Seated Dip adopts a design for the triceps and pectoral muscle groups. The equipment realizes that while ensuring the safety of training, it replicates the movement path of the traditional push-up exercise performed on parallel bars and provides supported guided exercises. Help users better train corresponding muscle groups.

LONG PULL
TP-1133



- Dimension : 69*52*78 Inch
- Net Weight : 185 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series LongPull not only can it be used as a part of the serial modular core of a plug-in workstation or a multi-person station, but it is also can be used as an independent mid row device. The LongPull has a raised seat for convenient entry and exit. Separate foot pad can adapt to users of different body types without obstructing the motion path of the device. The mid-row position allows users to maintain an upright back position. Handles are easily interchangeable.

LAT PULL DOWN
TP-1135



- Dimension : 46*48*92 Inch
- Net Weight : 190 KGS.
- Wieght Stack : 80 KGS.

- The Alpha Series Lat Pulldown not only can it be used as a part of the serial modular core of a plug-in workstation or a multiperson station, but it is also can be used as an independent lat pull down device. The pulley on the Pulldown is located so that users can make the movement in front of the head smoothly. The thigh pad adjustment accommodates a wide variety of users, and the replaceable handle allows users to practice with different accessories.

CHEST & SHOULDER PRESS
TP-1184 A



- Dimension : 68*57*61 Inch
- Net Weight : 226 KGS.
- Wieght Stack : 80 KGS.

- The Alpha Series Chest Shoulder Press realizes the integration of the functions of the three machines into one. On this machine, the user can adjust the pressing arm and seat on the machine to perform bench press, upward oblique press and shoulder press. The comfortable oversized handles in multiple positions, combined with the simple adjustment of the seat, allow users to easily sit in position for different exercises.

LAT & PULLEY MACHINE
TP-1185 A



- Dimension : 78*54*88 Inch
- Net Weight : 195 KGS.
- Wieght Stack : 80 KGS.

- The Alpha Series Lat & Pulley Machine is a dual-function machine with lat pulldown and mid-row exercise positions. It features an easy-to-adjust thigh hold-down pad, extended seat and foot bar to facilitate both exercises. Without leaving the seat, you can quickly switch to another training through simple adjustments to maintain training continuity.

TOPPRO®

LEG EXTENTION & LEG CURL
TP-1186 A



- Dimension : 59*40*61 Inch
- Net Weight : 225 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Leg Extension / Leg Curl is a dual-function machine. Designed with convenient shin pad and ankle pad, you can easily adjust from the sitting position. The shin pad, located below the knee, is designed to help the leg curl, thereby helping users find the correct training position for different exercises.

CAMBER CURL & TRICEPS
TP-1187 A



- Dimension : 52*42*61 Inch
- Net Weight : 195 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Camber Curl Triceps use biceps/triceps combined grips, which can accomplish two exercises on one machine. The single-seater adjustable ratchet can not only help the user find the correct movement position, but also ensure the best comfort. The correct exercise posture and force position can make exercise performance better. Support the user to easily switch between two exercise modes with a simple adjustment to complete the main training of the arm without leaving the device.

ABDUCTOR & ADDUCTOR
TP-1189 A



- Dimension : 61*36*31 Inch
- Net Weight : 223 KGS.
- Wieght Stack : 80 KGS.

The Alpha Series Abductor targets the hip abductor muscles, more commonly known as the glutes. The weight stack shields the exerciser's front well to protect the privacy during use. The foam protection pad provides good protection and cushioning. A comfortable exercise process makes it easier for the exerciser to focus on the force of the glutes.

TOPPRO®

CLUB SERIES



GERMAN DESIGN

ISO-9001

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY FRAME

WWW.TOPPROFITNESS.COM


TOPPROFITNESS

TOPPROFITNESS

PRONE LEG CURL

TP - 2001

TP - 2001




SPECIFICATIONS

- Dimension : 59*39*63 Inch
- Net Weight : 205 KGS.
- Wieght Stack : 94 KGS.

LEG EXTENSION

TP - 2002



TP - 2002

SPECIFICATIONS

- Dimension : 51*39*63 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 109 KGS.

LEG PRESS

TP - 2003

TP - 2003



SPECIFICATIONS

- Dimension : 74*43*63 Inch
- Net Weight : 220 KGS.
- Wieght Stack : 115 KGS.

PECTORAL MACHINE

TP - 2004



TP - 2004

SPECIFICATIONS

- Dimension : 34*59*63 Inch
- Net Weight : 200 KGS.
- Wieght Stack : 109 KGS.

LATERAL RAISE

TP - 2005

TP - 2005



SPECIFICATIONS

- Dimension : 55*41*59 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 56 KGS.

SHOULDER PRESS

TP - 2006



TP - 2006

SPECIFICATIONS

- Dimension : 72*47*63 Inch
- Net Weight : 220 KGS.
- Wieght Stack : 109 KGS.

REAR DELT PEC DEC

TP - 2007

TP - 2007



SPECIFICATIONS

- Dimension : 48*37*83 Inch
- Net Weight : 220 KGS.
- Wieght Stack : 109 KGS.

VERTICAL PRESS

TP - 2008




TP - 2008

SPECIFICATIONS

- Dimension : 55*53*59 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 109 KGS.

DIP CHIN ASSIST

TP - 2009



TP - 2009

SPECIFICATIONS

- Dimension : 61*53*92 Inch
- Net Weight : 289 KGS.
- Wieght Stack : 88 KGS.

INCLINE PRESS

TP - 2013



TP - 2013

SPECIFICATIONS

- Dimension : 81*53*63 Inch
- Net Weight : 215 KGS.
- Wieght Stack : 109 KGS.

ROTARY TORSO

TP - 2018



TP - 2018

SPECIFICATIONS

- Dimension : 47*31*64 Inch
- Net Weight : 198 KGS.
- Wieght Stack : 64 KGS.

SEATED LEG CURL

TP - 2023



TP - 2023

SPECIFICATIONS

- Dimension : 81*53*63 Inch
- Net Weight : 215 KGS.
- Wieght Stack : 109 KGS.



TP - 2024

GLUTE ISOLATION

TP - 2024

SPECIFICATIONS

- Dimension : 44*33*63 Inch
- Net Weight : 141 KGS.
- Wieght Stack : 49 KGS.

SEATED DIP

TP - 2026



TP - 2026

SPECIFICATIONS

- Dimension : 55*42*63 Inch
- Net Weight : 219 KGS.
- Wieght Stack : 109 KGS.

CAMBER CURL

TP - 2030



TP - 2030

SPECIFICATIONS

- Dimension : 46*75*63 Inch
- Net Weight : 158 KGS.
- Wieght Stack : 64 KGS.



TP - 2033

SEATED ROWING LONG PULL

TP - 2033

SPECIFICATIONS

- Dimension : 111*42*87 Inch
- Net Weight : 109 KGS.
- Wieght Stack : 244 KGS.

PULL DOWN

TP - 2035



TP - 2035

SPECIFICATIONS

- Dimension : 72*42*59 Inch
- Net Weight : 194 KGS.
- Wieght Stack : 109 KGS.

DUAL HULK

SERIES



WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

GERMAN DESIGN ISO-9001 CERTIFIED BY LPI TAIWAN LIFETIME WARRANTY FRAME

PRONE LEG CURL

TP – 3001

TP - 3001



SPECIFICATIONS

- Dimension : 77*38*59 Inch
- Net Weight : 205 KGS.
- Wieght Stack : 109 KGS.

LEG EXTENSION

TP – 3002

TP - 3002



SPECIFICATIONS

- Dimension : 55*41*59 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 109 KGS.

LEG PRESS

TP – 3003

TP - 3003



SPECIFICATIONS

- Dimension : 55*41*59 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 109 KGS.

LATERAL RAISE

TP – 3005

TP - 3005



SPECIFICATIONS

- Dimension : 75*44*59 Inch
- Net Weight : 160 KGS.
- Wieght Stack : 64 KGS.

TOPPRO

HULK SERIES

SHOULDER PRESS

TP – 3006



TP - 3006

SPECIFICATIONS

- Dimension : 74*53*59 Inch
- Net Weight : 231 KGS.
- Wieght Stack : 109 KGS.

REAR DELT PEC FLY

TP – 3007



TP - 3007

SPECIFICATIONS

- Dimension : 48*76*83 Inch
- Net Weight : 227 KGS.
- Wieght Stack : 109 KGS.

VERTICAL PRESS

TP – 3008



TP - 3008

SPECIFICATIONS

- Dimension : 55*53*59 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 109 KGS.

DIP CHIN ASSIST

TP – 3009



TP - 3009

SPECIFICATIONS

- Dimension : 55*41*59 Inch
- Net Weight : 214 KGS.
- Wieght Stack : 99 KGS.

INCLINE PRESS

TP – 3013



TP - 3013

SPECIFICATIONS

- Dimension : 82*57*59 Inch
- Net Weight : 215 KGS.
- Wieght Stack : 109 KGS.

CABLE CROSSVER

TP – 3016



TP - 3016

SPECIFICATIONS

- Dimension : 175*42*90 Inch
- Net Weight : 396 KGS.
- Wieght Stack : 100+100 KGS.

ROTARY TORSO

TP – 3018



TP - 3018

SPECIFICATIONS

- Dimension : 53*46*59 Inch
- Net Weight : 198 KGS.
- Wieght Stack : 64 KGS.

SEATED LEG CURL

TP – 3023



TP - 3023

SPECIFICATIONS

- Dimension : 62*41*59 Inch
- Net Weight : 220 KGS.
- Wieght Stack : 109 KGS.

GLUTE ISOLATOR

TP – 3024



TP - 3024

SPECIFICATIONS

- Dimension : 51*37*59 Inch
- Net Weight : 135 KGS.
- Wieght Stack : 49 KGS.

SEATED DIP

TP – 3026



TP - 3026

SPECIFICATIONS

- Dimension : 62*47*59 Inch
- Net Weight : 219 KGS.
- Wieght Stack : 109 KGS.

TRICEP EXTENSION

TP – 3028



TP - 3028

SPECIFICATIONS

- Dimension : 43*37*59 Inch
- Net Weight : 191 KGS.
- Wieght Stack : 64 KGS.

CAMBER CURL / BICEP CURL

TP – 3030



TP - 3030

SPECIFICATIONS

- Dimension : 47*35*59 Inch
- Net Weight : 162 KGS.
- Wieght Stack : 64 KGS.

SEATED ROWING

TP – 3033

TP - 3033



SPECIFICATIONS

- Dimension : 59*51*59 Inch
- Net Weight : 194 KGS.
- Wieght Stack : 109 KGS.

VERTICAL ROW

TP – 3034

TP - 3034



SPECIFICATIONS

- Dimension : 59*51*59 Inch
- Net Weight : 194 KGS.
- Wieght Stack : 94 KGS.

LAT PULL DOWN

TP – 3035

TP - 3035



SPECIFICATIONS

- Dimension : 59*51*59 Inch
- Net Weight : 194 KGS.
- Wieght Stack : 110 KGS.

PULL DOWN

TP – 3035A

TP - 3035A



SPECIFICATIONS

- Dimension : 59*51*59 Inch
- Net Weight : 194 KGS.
- Wieght Stack : 109 KGS.

TOPPRO®

HULK SERIES

FLAT BENCH

TP – 3036

TP - 3036



SPECIFICATIONS

- Dimension : 53*29*16 Inch
- Net Weight : 30 KGS.
- User Wieght : 180 KGS.

ADJUSTABLE DECLINE BENCH

TP – 3037

TP - 3037



SPECIFICATIONS

- Dimension : 63*29*31 Inch
- Net Weight : 68 KGS.
- User Wieght : 200 KGS.

MULTI PURPOSE BENCH

TP – 3038

TP - 3038



SPECIFICATIONS

- Dimension : 46*29*32 Inch
- Net Weight : 61 KGS.
- User Wieght : 200 KGS.

SUPER BENCH

TP – 3039

TP - 3039



SPECIFICATIONS

- Dimension : 63*29*31 Inch
- Net Weight : 61 KGS.
- User Wieght : 200 KGS.

TOPPRO

HULK SERIES

OLYMPIC DECLINE BENCH

TP – 3041



SPECIFICATIONS

- Dimension : 81*70*42 Inch
- Net Weight : 100 KGS.
- User Wieght : 200 KGS.

OLYMPIC INCLINE BENCH

TP – 3042



SPECIFICATIONS

- Dimension : 79*70*55 Inch
- Net Weight : 127 KGS.
- User Wieght : 200 KGS.

OLYMPIC BENCH

TP – 3043



SPECIFICATIONS

- Dimension : 68*70*48 Inch
- Net Weight : 82 KGS.
- User Wieght : 200 KGS.

SEATED PREACHER CURL

TP – 3044



SPECIFICATIONS

- Dimension : 51*33*38 Inch
- Net Weight : 55 KGS.
- User Wieght : 200 KGS.

TOPPRO®

HULK SERIES

BACK EXTENSION

TP – 3045

TP - 3045



SPECIFICATIONS

- Dimension : 48*22*37 Inch
- Net Weight : 57 KGS.
- User Wieght : 200 KGS.

VERTICAL KNEE UP / DIP

TP – 3047

TP - 3047



SPECIFICATIONS

- Dimension : 50*27*62 Inch
- Net Weight : 86 KGS.
- User Wieght : 200 KGS.

POWER CAGE

TP – 3048

TP - 3048



SPECIFICATIONS

- Dimension : 50*48*79 Inch
- Net Weight : 60 KGS.
- User Wieght : 200 KGS.

SQUAT RACK

TP – 3050

TP - 3050



SPECIFICATIONS

- Dimension : 72*68*70 Inch
- Net Weight : 55 KGS.
- User Wieght : 200 KGS.

TOPPRO

HULK SERIES

HANDLE RACK

TP – 3053



TP - 3053

SPECIFICATIONS

- Dimension : 37*29*40 Inch
- Net Weight : 61 KGS.
- User Wieght : 150 KGS.

LEG PRESS

TP – 3056



TP - 3056

SPECIFICATIONS

- Dimension : 83*64*53 Inch
- Net Weight : 160 KGS.
- Wieght Capicity : 600 KGS.

INCLINE LEVEL ROW

TP – 3061



TP - 3061

SPECIFICATIONS

- Dimension : 72*31*46 Inch
- Net Weight : 66 KGS.
- User Wieght : 200 KGS.

SEATED CALF

TP – 3062



TP - 3062

SPECIFICATIONS

- Dimension : 59*27*38 Inch
- Net Weight : 49 KGS.
- User Wieght : 200 KGS.

TOPPRO

HULK SERIES

SMITH MACHINE

TP – 3063

TP - 3063



SPECIFICATIONS

- Dimension : 42*85*91 Inch
- Net Weight : 167 KGS.
- Wieght Capicity : 600 KGS.

SUPER SQUAT

TP – 3065

TP - 3065



SPECIFICATIONS

- Dimension : 90*42*80 Inch
- Net Weight : 167 KGS.
- User Wieght : 500 KGS.

DUMBELL RACK

TP – 3067

TP - 3065



SPECIFICATIONS

- Dimension : 56*31*31 Inch
- User Wieght : 500 KGS.

DUMBELL RACK

TP – 3077

TP - 3077



SPECIFICATIONS

- Dimension : 28*97*31 Inch
- Net Weight : 66 KGS.
- User Wieght : 400 KGS.

TOPPRO

GLUTE ABDOMINAL TRAINER AB ROASTER

TP – 3082

TP - 3082



SPECIFICATIONS

- Dimension : 64*31*57 Inch
- User Wieght : 250 KGS.

HULK SERIES

HIP THRUST

TP – 3092

TP - 3092



SPECIFICATIONS

- Dimension : 71*48*48 Inch
- User Wieght : 400 KGS.

SMITH MACHINE & SQUAT RACK WITH COUNTER BALANCE

TP – 3093

TP - 3093



SPECIFICATIONS

- Dimension : 72*87*86 Inch
- Net Weight : 220 KGS.
- Wieght Capicity : 600 KGS.

FTS-DUAL ADJUSTABLE PULLEY

TP – 1017

TP - 1017



SPECIFICATIONS


- Dimension : 48*79*90 Inch
- Net Weight : 350 KGS.
- User Wieght : 100KGS+100 KGS.

TOPPRO

CABLE CROSSOVER

TP – 1016

TP – 1016



SPECIFICATIONS

- Weight stack : 100KGS+100KGS=200KGS.
- Net Weight : 396 KGS.
- User Wieght : 250 KGS.

HULK SERIES

LEG EXTENSION & LEG CURL

TP –4086A

TP - 4086A



SPECIFICATIONS

- Dimension : 62*43*62 Inch
- Net Weight : 235 KGS.
- Wieght Stack : 110 KGS.

FUNCTIONAL TRAINER

TP – 1018

TP - 3092



SPECIFICATIONS

- Dimension : 48*79*90 Inch
- Net Weight : 310 KGS.
- Wieght Stack : 80 KGS. x 2= 160KGS.

FUNCTIONAL TRAINER PRESTIGE

TP – 1019

TP - 3093



SPECIFICATIONS

- Dimension : 48*79*90 Inch
- Net Weight : 330 KGS.
- Wieght Stack : 95 KGS. x2 = 190KGS.

TOPPRO

HULK SERIES



MULTI PRESS

TP -4084A

TP - 4084A

SPECIFICATIONS

Dimension	:	62*51*62 Inch
Net Weight	:	220 KGS.
Wieght stack	:	110 KGS.

LAT PULL DOWN & SEATED ROW

TP - 3085

TP - 3085

SPECIFICATIONS

Dimension	:	66*33*84 Inch
Net Weight	:	220 KGS.
Wieght Stack	:	110 KGS.





INNER/ OUTER THIGH ABDUCTER

TP - 4089A

TP - 4089A

SPECIFICATIONS

Dimension	:	62*33*62 Inch
Net Weight	:	220 KGS.
Wieght Stack	:	110 KGS.

BICEPS / TRICEPS

TP -4087A

TP - 4087A



SPECIFICATIONS

- Dimension : 66*33*84 Inch
- Net Weight : 220 KGS.
- Wieght Stack : 110 KGS.



TP - 4088A

AB / BACK EXTENSION

TP - 4088A

SPECIFICATIONS

- Dimension : 66*33*84 Inch
- Net Weight : 220 KGS.
- Wieght stack : 110 KGS.

TOPPRO®

ROYAL SERIES





GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

TOPPRO®

PRONE LEG CURL TP-4001

RP-4001



SPECIFICATIONS

Dimension	:	63*43*60 Inch
Net Weight	:	240 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

LEG EXTENSION TP-4002

RP-4002



SPECIFICATIONS

Dimension	:	56*46*60 Inch
Net Weight	:	192 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

LEG PRESS TP-4003

RP-4003



SPECIFICATIONS

Dimension	:	50*56*81 Inch
Net Weight	:	330 KGS.
Wieght Stack	:	115 KGS.
Tube Thickness	:	3 MM.

SHOULDER PRESS TP-4004

RP-4004



SPECIFICATIONS

Dimension	:	61*61*60 Inch
Net Weight	:	295 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

REAL DELT PEC FLY TP-4005

RP-4005



SPECIFICATIONS

Dimension	:	50*56*81 Inch
Net Weight	:	248 KGS.
Wieght Stack	:	95 KGS.
Tube Thickness	:	3 MM.

VERTICAL PRESS TP-4006

RP-4006



SPECIFICATIONS

Dimension	:	56*44*60 Inch
Net Weight	:	281 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

DIP CHIN ASSIST UPPER LIMB TP-4007

RP-4007



SPECIFICATIONS

Dimension	:	61*61*60 Inch
Net Weight	:	295 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

ABDUCTOR TP-4008

RP-4008



SPECIFICATIONS

Dimension	:	62*43*62 Inch
Net Weight	:	235 KGS.
Wieght Stack	:	64 KGS.
Tube Thickness	:	3 MM.

TOPPRO®

SEATED LEG CURL TP-4009

RP-4009



SPECIFICATIONS

Dimension	:	50*41*60 Inch
Net Weight	:	250 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

GLUTE ISOLATOR TP-4010

RP-4010



SPECIFICATIONS

Dimension	:	84*40*60 Inch
Net Weight	:	245 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

SEATED DIP TP-4011

RP-4011



SPECIFICATIONS

Dimension	:	59*57*70 Inch
Net Weight	:	275 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

CAMBER CURL TP-4012

RP-4012



SPECIFICATIONS

Dimension	:	45*41*62 Inch
Net Weight	:	248 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

TOPPRO®

BACK EXTENSION TP-4013

RP-4013



SPECIFICATIONS

Dimension	:	47*41*60 Inch
Net Weight	:	250 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

VERTICAL ROW TP-4014

RP-4014



SPECIFICATIONS

Dimension	:	84*40*60 Inch
Net Weight	:	185 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

LAT MACHINE TP-4015

RP-4015



SPECIFICATIONS

Dimension	:	51*41*60 Inch
Net Weight	:	260 KGS.
Wieght Stack	:	110 KGS.
Tube Thickness	:	3 MM.

ABDOMINAL ISOLATOR TP-4016

RP-4016



SPECIFICATIONS

Dimension	:	59*36*60 Inch
Net Weight	:	192 KGS.
Wieght Stack	:	190 KGS.
Tube Thickness	:	3 MM.

TOPPRO®

ELITE SERIES



WWW.TOPPROFITNESS.COM TOPPROFITNESS

TOPPROFITNESS

GERMAN DESIGN ISO-9001 CERTIFIED BY LPI TAIWAN LIFETIME WARRANTY

TP-9101
SHOULDER PRESS CONVERGING



Dimension : 46*48*65 Inch

TP-9102
CHEST PRESS CONVERGING



Dimension : 46*48*65 Inch

TP-9103
PECTORAL FLY/ REAR DELTOID



Dimension : 44*46*65 Inch

TP-9104
BICEP CURL



Dimension : 41*45*65 Inch

TP-9105
LAT PULL DOWN



Dimension : 46*52*65 Inch

TP-9106
LOW ROW



Dimension : 46*48*65 Inch

TP-9107
ASSISTED CHIN/ DIP



Dimension : 44*46*65 Inch

TP-9108
SEATED LEG CURL



Dimension : 46*52*65 Inch

TP-9109
LEG EXTENSION



Dimension : 46*52*65 Inch

TP-9110
SEATED LATERAL RAISE



Dimension : 39*46*65 Inch

TP-9111
PECTORAL BUTTERFLY



Dimension : 46*52*65 Inch

TP-9112
TRICEP DIP



Dimension : 50*49*65 Inch

TP-9113
LAT PULL DOWN DIVERGING



Dimension : 46*52*65 Inch

TP-9114
STANDING CALF RAISE



Dimension : 39*46*65 Inch

TP-9115
(DUAL) LEG EXTENSION & LEG CURL



Dimension : 42*46*65 Inch

TP-9116
ABDUCTOR & ADDUCTOR



Dimension : 46*52*65 Inch

TP-9117
(DUAL) SHOULDER & CHEST PRESS



Dimension : 46*65*78 Inch

TP-9118
(DUAL) LAT PULL DOWN SEATED ROW



Dimension : 39*46*65 Inch

TP-9119
(DUAL) LEG EXTENSION/ PRONE LEG CURL



Dimension : 58*40*65 Inch

TP-9120
STANDING LATERAL RAISE



Dimension : 46*65*78 Inch

TP-9121
MID ROW



Dimension : 30*75*65 Inch

TP-9122
HIP THRUST (PIN LOADED)



Dimension : 29*67*65 Inch

TP-9123
LEG PRESS



Dimension : 47*44*65 Inch

TP-9124
FUNCTIONAL TRAINER



Dimension : 71*42*90 Inch

TP-9125
SMITCH MACHINE



Dimension : 98*49*92 Inch

TP-9126
PRONE LEG CURL



Dimension : 58*40*65 Inch

TP-9127
MULTI SMITH FUNCTIONAL COMBO



Dimension : 51*60*86 Inch

TP-9129
CABLE CROSS OVER



Dimension : 155*29*95 Inch

TOPPRO®

PEAK SERIES



WWW.TOPPROFITNESS.COM

TOPPROFITNESS

TOPPROFITNESS

SEATED CHEST PRESS

TP-7801

TP-7801



SPECIFICATIONS

- Dimension : 55*46*72 Inch
- Wieght Stack : 100 KGS.

BUTTERFLY

TP-7802



TP-7802

SPECIFICATIONS

- Dimension : 55*46*61 Inch
- Wieght Stack : 100 KGS.

SHOULDER PRESS

TP-7803

TP-7803



SPECIFICATIONS

- Dimension : 55*59*62 Inch
- Wieght Stack : 100 KGS.

BICEPS CURL MACHINE

TP-7806



TP-7806

SPECIFICATIONS

- Dimension : 50*38*61 Inch
- Wieght Stack : 80 KGS.

ABDOMINAL MACHINE

TP-7810

TP-7810



SPECIFICATIONS

- Dimension : 59*35*61 Inch
- Wieght Stack : 80 KGS.

SEATED LEG CURL

TP-7813



TP-7813

SPECIFICATIONS

- Dimension : 51*46*61 Inch
- Wieght Stack : 100 KGS.

MULTI HIP

TP-7816

TP-7816



SPECIFICATIONS

- Dimension : 38*51*61 Inch
- Wieght Stack : 100 KGS.

OUTER THIGH ABDUCTER

TP-7819



TP-7819

SPECIFICATIONS

- Dimension : 53*44*62 Inch
- Wieght Stack : 80 KGS.

INCLINE HACK SQUAT

TP-7822B

TP-7822B



SPECIFICATIONS

- Dimension : 64*40*59 Inch

OLYMPIC WEIGHT BENCH

TP-7823

TP-7823



SPECIFICATIONS

- Dimension : 80*66*55 Inch

DECLINE BENCH LUXURY

TP-7824

TP-7824



SPECIFICATIONS

- Dimension : 68*66*48 Inch

WEB BOARD ADJUSTBLE

TP-7828A

TP-7828A



SPECIFICATIONS

- Dimension : 70*25*51 Inch
- Wieght Stack : 200 KGS.

DUMBBELL RACK

TP-7830



TP-7830

SPECIFICATIONS

- Dimension : 83*32*33 Inch
- Wieght Stack : 600 KGS.

ABDOMINAL MACHINE

TP-7832

TP-7832



SPECIFICATIONS

- Dimension : 70*59*62 Inch
- Wieght Stack : 200 KGS.

DRAW MUSCLE MACHINE

TP-7833

TP-7833



SPECIFICATIONS

- Dimension : 55*59*62 Inch
- Wieght Stack : 200 KGS.

UTILITY BENCH

TP-7838

TP-7838



SPECIFICATIONS

- Dimension : 52*22*44 Inch
- Wieght Stack : 200 KGS.

SCOTT BENCH

TP-7840



TP-7840

SPECIFICATIONS

- Dimension : 35*27*35 Inch
- Wieght Stack : 200 KGS.

HACK SQUAT MACHINE

TP-7847/22A

TP-7847/22A



SPECIFICATIONS

- Dimension : 64*40*59 Inch
- Wieght Stack : 200 KGS.

TOPPRO®

TECH

SERIES










GERMAN DESIGN

ISO-9001

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

SEATED LEG CURL

TP - 8001/6001



SPECIFICATIONS

- Dimension : 43*49*59 Inch
- Net Weight : 210 KGS.
- Wieght Stack : 95 KGS.

SEATED LEG EXTENSION

TP - 8002/6002



SPECIFICATIONS

- Dimension : 43*43*59 Inch
- Net Weight : 200 KGS.
- Wieght Stack : 95 KGS.

SEATED ROW

TP - 8004/6004



SPECIFICATIONS

- Dimension : 47*41*59 Inch
- Net Weight : 209 KGS.
- Wieght Stack : 95 KGS.

DELT MACHINE

TP - 8010/6010



SPECIFICATIONS

- Dimension : 53*47*59 Inch
- Net Weight : 237 KGS.
- Wieght Stack : 95 KGS.

TRICEP EXTENSION

TP - 8011/6011



SPECIFICATIONS

- Dimension : 59*41*59 Inch
- Net Weight : 172 KGS.
- Wieght Stack : 70 KGS.

BICEP CURL

TP - 8013/6013



SPECIFICATIONS

- Dimension : 58*39*59 Inch
- Net Weight : 173 KGS.
- Wieght Stack : 65 KGS.

HORIZONTAL LEG PRESS

TP - 8016/6016



SPECIFICATIONS

- Dimension : 78*49*59 Inch
- Net Weight : 390 KGS.
- Wieght Stack : 145 KGS.

LOW ROW SEATED ROWING

TP - 8021/6021



SPECIFICATIONS

- Dimension : 72*53*70 Inch
- Net Weight : 265 KGS.
- Wieght Stack : 145 KGS.

OLYMPIC FLAT BENCH

TP - 8023/6023



SPECIFICATIONS

- Dimension : 68*64*50 Inch
- Net Weight : 54 KGS.

PREACHER CURL BENCH/ SCOUT BENCH

TP - 8025/6025



SPECIFICATIONS

- Dimension : 39*31*37 Inch
- Net Weight : 41 KGS.

ADJ. ABDOMINAL BENCH/WEB BOARD

TP - 8027/6027



SPECIFICATIONS

- Dimension : 60*24*47 Inch
- Net Weight : 43 KGS.

OLYMPIC INCLINE BENCH

TP - 8030/6030



SPECIFICATIONS

- Dimension : 82*64*59 Inch
- Net Weight : 56 KGS.

FLAT BENCH

TP - 8031/6031



SPECIFICATIONS

- Dimension : 47*20*21 Inch
- Net Weight : 18 KGS.

OLYMPIC DECLINE BENCH

TP - 8043/6043



SPECIFICATIONS

- Dimension : 82*51*50 Inch
- Net Weight : 85 KGS.

SQUAT RACK

TP - 8051/6051



SPECIFICATIONS

- Dimension : 68*66*72 Inch
- Net Weight : 87 KGS.

INNER OUTER THIGH

TP - 8053/6053



SPECIFICATIONS

- Dimension : 57*38*59 Inch
- Net Weight : 185 KGS.
- Wieght Stack : 70 KGS.

3D SMITH MACHINE

TP - 8079/6079



SPECIFICATIONS

- Dimension : 76*92*87 Inch
- Tube : 6*12*0.3 CM

LAT PULL DOWN LOW ROW

TP - 9057/6057



SPECIFICATIONS

- Dimension : 43*43*59 Inch
- Net Weight : 228 KGS.
- Wieght Stack : 110 KGS.

BICEP CURL

TP - A9-006



SPECIFICATIONS

- Dimension : 58*39*59 Inch
- Net Weight : 173 KGS.
- Wieght Stack : 65 KGS.

TRICEP PRESS
TP - A9-007



SPECIFICATIONS

- Dimension : 47*34*59 Inch
- Net Weight : 230 KGS.
- Wieght Stack : 80 KGS.

UPPER LIMBS
TP - A9-008



SPECIFICATIONS


- Dimension : 50*88*89 Inch
- Net Weight : 230 KGS.
- Wieght Stack : 80 KGS.

MULTI HIP
TP - A9-0016



SPECIFICATIONS

- Dimension : 47*344*59 Inch
- Net Weight : 230 KGS.
- Wieght Stack : 80 KGS.


TOPPRO®
POWER
PACK
SERIES
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS
GERMAN DESIGN
CERTIFIED ISO-9001 QUALITY
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY Limited FRAME

POWER PACK SERIES

TOPPRO®

ASSISTED CHIN UP

TP-7926



ABDOMINAL MACHINE

TP-7931



LAT PULL DOWN

TP-7952



TOPPRO®

MIDDLE SEATED ROW

TP-7953



SEATED ROW


TP-7955T



LEG CURL

TP-7971




TOPPRO®
HUMMER
SERIES
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS
GERMAN DESIGN
ISO-9001
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY

TOPPRO

BUTTERFLY

TP-7502



SPECIFICATIONS

- Dimension : 43*49*59 Inch
- Net Weight : 210 KGS.
- Wieght Stack : 95 KGS.

SHOULDER PRESS

TP-7503



SPECIFICATIONS

- Dimension : 54*39*64 Inch
- Net Weight : 137 KGS.
- Wieght Stack : 100 KGS.

SEATED ROW

TP-7504



SPECIFICATIONS

- Dimension : 50*48*64 Inch
- Net Weight : 210 KGS.
- Wieght Stack : 100 KGS.

ABDOMINAL MACHINE

TP-7510



SPECIFICATIONS

- Dimension : 37*39*64 Inch
- Net Weight : 206 KGS.
- Wieght Stack : 100 KGS.

TOPPRO

ROTARY TARSO

TP-7511



SPECIFICATIONS

- Dimension : 46*38*64 Inch
- Net Weight : 206 KGS.
- Wieght Stack : 100 KGS.

SEATED HORIZONTAL PULLY

TP-7512A



SPECIFICATIONS

- Dimension : 46*38*64 Inch
- Net Weight : 227 KGS.
- Wieght Stack : 100 KGS.

SEATED LEG CURL

TP-7513



SPECIFICATIONS

- Dimension : 47*66*64 Inch
- Net Weight : 238 KGS.
- Wieght Stack : 100 KGS.

LEG EXTENSION

TP-7514



SPECIFICATIONS

- Dimension : 47*57*64 Inch
- Net Weight : 221 KGS.
- Wieght Stack : 100 KGS.

LEG PRESS

TP-7515



SPECIFICATIONS

- Dimension : 46*68*64 Inch
- Net Weight : 259 KGS.
- Wieght Stack : 100 KGS.

MULTI HIP

TP-7516



SPECIFICATIONS

- Dimension : 48*38*64* Inch
- Net Weight : 206 KGS.
- Wieght Stack : 100 KGS.

STANDING CALF MACHINE

TP-7517



SPECIFICATIONS

- Dimension : 63*39*64 Inch
- Net Weight : 217 KGS.
- Wieght Stack : 100 KGS.

OUTER THIGH ABDUCTOR

TP-7519/1719



SPECIFICATIONS

- Dimension : 51*50*64 Inch
- Net Weight : 222 KGS.
- Wieght Stack : 100 KGS.

TOPPRO®

LEG PRESS HACK SQUAT

TP-7522B



SPECIFICATIONS

- Dimension : 64*40*59 Inch
- Net Weight : 220 KGS.
- Tube : 3 MM.

DECLINE BENCH

TP-7524



SPECIFICATIONS

- Dimension : 68*66*48 Inch
- User Weight : 200 KGS.

INCLINE BENCH

TP-7525



SPECIFICATIONS

- Dimension : 79*66*55 Inch
- User Weight : 200 KGS.

TOPPRO

ADJUSTABLE WEB BOARD

TP-7528/7534A



SPECIFICATIONS

- Dimension : 40*35*92 Inch
- User Weight : 200 KGS.

FLAT BENCH

TP-7536



SPECIFICATIONS

- Dimension : 53*27*16 Inch
- User Weight : 200 KGS.

SCOTT BENCH/ BICEP BENCH

TP-7540



SPECIFICATIONS

- Dimension : 35*27*35 Inch
- User Weight : 200 KGS.

TOPPRO®

ROCK SERIES



WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

GERMAN DESIGN ISO-9001 CERTIFIED BY LPI TAIWAN LIFETIME WARRANTY FRAME

LEG EXTENSION
LEG CURL

TP - 1001



SPECIFICATIONS

- Dimension : 66*33*84 Inch
- Net Weight : 120 KGS.
- Wieght Stack : 100 KGS.

LAT PULL DOWN & SEATED ROW

TP - 1002



SPECIFICATIONS

- Dimension : 62*43*62 Inch
- Net Weight : 147 KGS.
- Wieght Stack : 100 KGS.

BICEP / TRICEP

TP - 1003



SPECIFICATIONS

- Dimension : 66*33*84 Inch
- Net Weight : 136 KGS.
- Wieght Stack : 80 KGS.

INNER / OUTERTHIGH ABDUCTOR

TP - 1004



SPECIFICATIONS

- Dimension : 66*33*84 Inch
- Net Weight : 122 KGS.
- Wieght Stack : 60 KGS.

MULTI PRESS

TP - 1005



SPECIFICATIONS

- Dimension : 62*51*62 Inch
- Net Weight : 145 KGS.
- Wieght Stack : 100 KGS.

PRONE LEG CURL/ LEG EXTENSION

TP - 1006



SPECIFICATIONS

- Dimension : 70*38*59 Inch
- Net Weight : 151 KGS.
- Wieght Stack : 100 KGS.

REAR DELT/ PEC FLY

TP - 1007



SPECIFICATIONS

- Dimension : 48*76*83 Inch
- Net Weight : 129 KGS.
- Wieght Stack : 80 KGS.

LAT PULL DOWN

TP - 1008



SPECIFICATIONS

- Dimension : 59*51*59 Inch
- Net Weight : 149 KGS.
- Wieght Stack : 100 KGS.

TP - 1009



ROPE PULLING CLIMIBING

TP - 1009

TP - 1012

FLAT BENCH

TP - 1012

SPECIFICATIONS

- Dimension : 62*51*62 Inch
- Net Weight : 20 KGS.



TP - 1013

TP - 1013



MULTIPURPOSE BENCH

TP - 1013

SPECIFICATIONS

- Dimension : 45*26*34 Inch
- Net Weight : 35 KGS.

TOPPRO®

KNIGHT SERIES





GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

TOPPRO

LAT PULLDOWN

TP - 5112



TP - 5112

Dimension: 1240*1465*2230 mm
Weight: 256 kg
Weight Stack: 110 kg

The Knight Series Lat Pulldown follows the outstanding design style of this category, with the pulley position on the device allowing the user to move smoothly in front of the head. The seat and adjustable thigh pads have been ergonomically optimized for better support and comfort.

CHEST & SHOULDER PRESS

TP - 5084



TP - 5084

Dimension: 1660*1120*1510 mm
Weight: 255 kg
Weight Stack: 110 kg

The Knight Series Chest Shoulder Press realizes the integration of the functions of the three machines into one. On this machine, the user can adjust the pressing arm and seat on the machine to perform bench press, upward oblique press and shoulder press. The seat and back pad have been ergonomically optimized for better support and comfort. And comfortable oversized handles in multiple positions, combined with the simple adjustment of the seat, allow users to easily sit in position for different exercises.

LEG EXTENSION & LEG CURL

TP - 5086



TP - 5086

Dimension: 1660*1120*1510 mm
Weight: 255 kg
Weight Stack: 110 kg

The Knight Series Leg Extension / Leg Curl is a dual-function machine. Designed with convenient shin pad and ankle pad, you can easily adjust from the sitting position. The seat and back pad have been ergonomically optimized for better support and comfort. And shin pad, located below the knee, is designed to help the leg curl, thereby helping users find the correct training position for different exercises.

TOPPRO

CAMBER CURL & TRICEPS

TP - 5087

TP - 5087



Dimension: 1380*1145*1510 mm
Weight: 232 kg
Weight Stack: 110 kg

The Knight Series Camber Curl Triceps use biceps/triceps combined grips, which can accomplish two exercises on one machine. The single-seater adjustable ratchet can not only help the user find the correct movement position, but also ensure the best comfort. The seat and back pad have been ergonomically optimized for better support and comfort. And correct exercise posture and force position can make exercise performance better.

TOPPRO®

DUAL

HARRISON

SERIES

GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

TP - 8510



INNER THIGH OUTER THIGH EXTENSION

TP-8510

SPECIFICATIONS

- Dimension : 63*43*60 Inch
- Net Weight : 240 KGS.
- Wieght Stack : 110 KGS.

LAT PULL DOWN/ SEATED ROWING

TP-8515

SPECIFICATIONS

- Dimension : 77*50*90 Inch
- Net Weight : 210 KGS.
- Wieght Stack : 92 KGS.



TP - 8515

PEC DEC REAR DELT

TP-8516

TP - 8516



SPECIFICATIONS

- Dimension : 50*55*77 Inch
- Net Weight : 196 KGS.
- Wieght Stack : 92 KGS.

AB/LOW BACK EXTENSION

TP-8521

TP - 8521



SPECIFICATIONS

- Dimension : 49*42*64 Inch
- Net Weight : 215 KGS.
- Wieght Stack : 92 KGS.

MULTI PRESS

TP-8522

TP - 8522



SPECIFICATIONS

- Dimension : 64*57*63 Inch
- Net Weight : 226 KGS.
- Wieght Stack : 92 KGS.

SEATED LEG EXTENSION LEG CURL

TP-8523

TP - 8523



SPECIFICATIONS

- Dimension : 63*37*63 Inch
- Net Weight : 225 KGS.
- Wieght Stack : 92 KGS.

TP - 8524



BICEP / TRICEP EXTENSION

TP-8524

SPECIFICATIONS

- Dimension : 55*37*63 Inch
- Net Weight : 225 KGS.
- Wieght Stack : 92 KGS.

MUSCLE EXTENSION STRETCH MACHINE

TP-8528

TP - 8528



SPECIFICATIONS

- Dimension : 57*37*63 Inch
- Net Weight : 45 KGS.
- UserWieght : 92 KGS.

FLAT BENCH

TP-8536



TP - 8536

SPECIFICATIONS

- Dimension : 55*22*18 Inch
- Net Weight : 30 KGS.
- UserWieght : 185 KGS.

H SERIES

ADJUSTABLE WEB BOARD

TP - 5834 A



SPECIFICATIONS

- Dimension : 70*25*51 Inch
- User Weight : 200 KGS.

TOPPRO®

FLAT BENCH

TP-5836



SPECIFICATIONS

- Dimension : 53*27*16 Inch
- User Weight : 200 KGS.

UTILITY BENCH

TP-5838



SPECIFICATIONS

- Dimension : 52*22*44 Inch
- User Weight : 200 KGS.

SCOUT BENCH

TP-5840



SPECIFICATIONS

- Dimension : 37*27*35 Inch
- Net Weight : 200 KGS.

TOPPRO®

SUN SERIES

GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

TOPPRO®

3D SMITH MACHINE
TP-9900



FLAT INCLINE DECLINE BENCH PRESS
TP-9901



FLAT / INCLINE DECLINE BENCH
TP-9902



SUN SERIES
PLATE LOADED

TOPPRO®

MULTI ADJUSTABLE BENCH
TP-9913



MULTI ADJUSTABLE BENCH TP-9914



MULTI ADJUSTABLE BENCH
TP-9915



MULTI ADJUSTABLE BENCH TP-9916



SUN SERIES
PLATE LOADED

TOPPRO®

TWISTER SINGLE
TP-TS-01



TWISTER DOUBLE
TP-TD-01



BICEP JUNGLE
TP-BJ-01





WRIST CURL

TP-WCM-02

HORIZONTAL PLATE STAND (BUMPER PLATES)

TP-PS-04



SUN SERIES
PLATE LOADED

TOPPRO®

MULTI GYM TRAINER
TP-9911



MULTI GYM TRAINER
TP-9922



MULTI GYM TRAINER
TP-9933



TOPPRO®

CUSTOMIZED STRETCH PLATFORM

TP-5833



GLUTE HAM DEVELOPER

TP-9931



45 DEGREE LEG PRESS HACK SQUAT

TP-9955B



SUN SERIES
PLATE LOADED

TOPPRO®

DUAL CABLE 360 DEGREE DUAL ARM

TP 5500



SPECIFICATIONS

Dimensions	:	102 (L) x 56 (W) x 74 (H)
Weight Stack	:	100 KG X 2
Tube Thickness	:	3 mm
Tube Size	:	40 X 120MM; 50 X 80 MM
Net Weight	:	350 KG
Colour	:	Black

Exercises

Inc Decline Press
Twist
Squat
Shoulder Press
Chest Press
Row
Level Low Paddling
Single Arm Tricep
Wood Chop Low To High
Wood Chop High To Low
Push Pull
Hamstring
Abdominal Church
Lat Pull
2 Person Wood Chop

DUAL STATION CHEST & SHOULDER

TP 6500



SPECIFICATIONS

Dimensions	:	56 (L) x 50 (W) x 86 (H)
Weight Stack	:	75 KG x 2
Tube Thickness	:	3 mm
Tube Size	:	50 X 80 MM
Net Weight	:	310 KG
Colour	:	Black

Exercises

Bilateral Lat Pull Down
Bilateral Row
Unilateral Standing
Unilateral Standing Row
Unilateral Lat Pull Down With Rotation
Unilateral Row With Rotation

SUN
SERIES
PLATE LOADED

TOPPRO®

DUAL CABLE 360 DEGREE SINGLE ARM

TP 7365



SPECIFICATIONS

Dimensions	:	50 (L) x 24 (W) x 84 (H)
Weight Stack	:	75 KG x 2
Tube Thickness	:	3 mm
Tube Size	:	50 X 80 MM
Net Weight	:	260 KG

Exercises

Inc Decline Press
Twist
Squat
Shoulder Press
Chest Press
Row
Level Low Paddling
Single Arm Tricep
Wood Chop Low To High
Wood Chop High To Low
Push Pull
Hamstring
Abdominal Church
Lat Pull
2 Person Wood Chop

TOPPRO®

MULTI GYMS SERIES

GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

MULTI GYMS SERIES

TOPPRO®

SPECIFICATIONS — TP-250

Dimension	:	77" (L) x 130" (W) x 86" (H)
Tube Size	:	50 mm x 50 mm (Round Pipe)
Tube Thickness	:	10 Gauge
Frame	:	High tensile strength steel, Robotic Welding Factory assembled weight frame
Weight Guide Rods	:	25 mm, Chrome plated steel, highly polished for smooth movements
Pulley	:	Fiber glass reinforced nylon pulleys with high quality bearing
Cable	:	5.0mm dia, 250 lbs rated steel cable as transmitting wire nylon coated
Finishing	:	Electro statically applied powder coating Rustproof
Weight plate	:	Rubberized PVC weight plate make work out noiseless
Weight Stack	:	150 LBS, with 2 sides MS cover
Weight Stack Cover	:	Steel
Net Weight	:	190 Kgs
User Weight	:	150 Kgs
Station	:	4 Station (2 Weighted Shared + 2 free Weighted)
Colour	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | SEATED CHEST PRESS | **PEC FLY** | LEG EXTENSION | BICEPS CURL
TRICEPS | **AB PULLEY** | **GROUND PULLEY** STATION 2 : LEG PRESS
STATION 3 : ABDOMINAL | LEG RAISE | **DIPS**

SPECIFICATIONS — TP-300

Dimensiton	:	132" (L) x190" (W) x 75" (H).
Tube Size	:	50 mm x 50mm (Square pipe)
Tube Thickness	:	10 Gauge
Frame	:	High tensile strength steel, Robotic welded, factory assembled weight frame.
Weight Guide Rods	:	25 mm, Chrome plated steel, highly polished for smooth movements.
Pulley	:	Fiber glass reinforced nylon pulleys with high quality bearing.
Cable	:	5.0mm dia, 250 lbs rated steel cable as transmitting wire nylon coated
Finishing	:	Electro statically applied powder coated Rust proof
Weight plate	:	Rubberized PVC weight plate make work out noiseless
Weight Stack	:	150 LBS x2 = 300 LBS
Weight Stack Cover	:	Steel Cover
Net Weight	:	260 Kgs
User Weight	:	150 Kgs
Station	:	4 Station (3 Weighted + 1 Free Weighted Shared)
Colour	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | LEG EXTENSION | SEATED CHEST PRESS | BICEPS CURL | AB PULLEY
GROUND PULLEY STATION 2 : LEG PRESS STATION 3 : PECK-DECK | REAR DELT
STATION 4 : VERTICAL KNEE RAISE | DIPS

MULTI GYMS SERIES

TOPPRO®

SPECIFICATIONS

TP-400

Dimension	:	132" (L) x 85" (W) x 90" (H).
Tube Size	:	80 mm x 50 mm
Tube Thickness	:	10 Gauge
Frame	:	High tensile strength steel, continuous welded,
	:	factory assembled weight frame.
Weight Guide Rods	:	25 mm, Chrome plated steel, highly polished for smooth movements.
Pulley	:	Fiber glass reinforced nylon pulleys with high quality bearing.
Cable	:	5.0mm dia, 250 lbs rated steel cable as transmitting wire nylon coated.
Finishing	:	Electro statically applied powder coated rust proof
Weight plate	:	Rubberized PVC weight plate make work out noiseless
Weight Stack	:	150 LBS x 4 = 600 LBS
Weight Stack Cover	:	Steel cover powder coating
Net Weight	:	456 kgs
User Weight	:	200 Kgs
Station	:	5 Staion (4 weighted individual + 1 free weighted)
Colour	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | LEG EXTENSION | SEATED CHEST PRESS | BICEPS CURL

STATION 2 : LEG PRESS STATION 3 : PECK-FLY | REAR DELT

STATION 4 : TWISTER

SPECIFICATIONS

TP-500

Dimension	:	118" (L) x 98" (W) x 85" (H)
Tube Size	:	80 mm x 40 mm (Capsule) | 65mm x 40mm (Capsule) | 50 mm x 50mm (Round)
Tube Thickness	:	10 Gauge
Frame	:	Combination of high tensile strength steel,
		continuous welded, factory assembled weight frame
Pulley	:	Maintenance free, fiber glass reinforced nylon pulleys fitted with
		premium grade -A quality roller bearings
Cable	:	5.0 mm dia., semi-commercial grade, nylon coated cables.
Finishing	:	All frame structures electro statically powder coated to ensure
		maximum corrosion, chip resistance and rust
Weight plate	:	Rubberized weight plate
Weight Stack	:	150 x 4 = 600 LBS
Weight Stack Cover	:	Steel cover powder coated
Net Weight	:	500 Kgs
User Weight	:	200 Kgs
Station	:	6 Station (4 Weighted + 2 free weight)
Color	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | SEATED CHEST PRESS | LEG EXTENSION | AB PULLEY

STATION 2 : PECK-DECK | REAT DELT STATION 3 : LEG PRESS STATION 4 : BICEP CURL

STATION 5 : VERTICAL KNEE RAISE | DIPS STATION 6 : TWISTER


MULTI GYMS SERIES

TOPPRO®

SPECIFICATIONS

TP-600

Dimensions	:	110" (L) x 125" (W) x 93" (H)
Tube Size	:	80mm x 50 mm
Tube Thickness	:	10 Gauge
Frame	:	Combination of High Tensile Strength Steel, Continous Welded, Factory Assembled Weight Frame
Weight Guide Rods	:	25mm Chrome Plated Steel, Highly Policed For Smooth Movements
Pulley	:	Proprietary Tow Coat Powder Process
Cable	:	5.0mm Dia, Semi Commercial Grade, Nylon Coated Cables
Finishing	:	All frame structures electro statically powder coated to Ensure maximium corrosion, chip resistance rust proof
Weight Plate	:	4 Weight Stacks With High Quality ABS Plate
Weight Stack	:	150x4 = 600 LBS
Weight Stack Cover	:	Steel cover powder coated
Net Weight	:	532 Kgs
User Weight	:	200 Kgs
Station	:	6 Station (4 Weighted +2 free weight)
Color	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | SEATED CHEST PRESS | LEG EXTENSION | ADJUSTABLE DUAL CABLE PULLEY

STATION 2 : PECK-DECK | REAR DELT STATION 3 : LEG PRESS STATION 4 : BICEP CURL

STATION 5 : VERTICAL KNEE RAISE | CHIN UPS | DIPS STATION 6 : TWISTER

SPECIFICATIONS

TP-650

Dimensions	:	110" (L) x 125" (W) x 93" (H)
Tube Size	:	80mm x 50 mm
Tube Thickness	:	10 Gauge
Frame	:	Combination of High Tensile Strength Steel, Continous Welded, Factory Assembled Weight Frame
Weight Guide Rods	:	25mm Chrome Plated Steel, Highly Policed For Smooth Movements
Pulley	:	Proprietary Tow Coat Powder Process
Cable	:	5.0mm Dia, Semi Commercial Grade, Nylon Coated Cables
Finishing	:	All frame structures electro statically powder coated to Ensure maximium corrosion, chip resistance rust proof
Weight Plate	:	
Weight Stack	:	150x4 = 600 LBS
Weight Stack Cover	:	Matalic MS
Net Weight	:	532 Kgs
User Weight	:	200 Kgs
Station	:	6 Station (4 Weighted +2 free weight)
Color	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | SEATED CHEST PRESS | LEG EXTENSION | ADJUSTABLE DUAL CABLE PULLEY

STATION 2 : PECK-DECK | REAR DELT STATION 3 : LEG PRESS STATION 4 : BICEP CURL

STATION 5 : VERTICAL KNEE RAISE | CHIN UPS STATION 6 : TWISTER

MULTI GYMS SERIES

TOPPRO®

TP-700

SPECIFICATIONS

Dimension	:	125" (L) x 95" (W) x 84" (H)
Tube Size	:	80 mm x 40 mm
Tube Thickness	:	10 Gauge
Frame	:	Combination of high tensile strength steel, continuous welded, factory assembled weight frame
Pulley	:	Maintenance free, fiber glass reinforced nylon pulleys fitted with premium grade -A quality roller bearings
Cable	:	5.0 mm dia., semi-commercial grade, nylon coated cables
Finishing	:	All frame structures electro statically powder coated to ensure maximum corrosion, chip resistance and rust
Weight plate	:	MS
Weight Stack	:	100 Kgs X 4 = 400 Kgs (220 LBS X 4 = 880 LBS)
Weight Stack Cover	:	Steel cover powder coated
Net Weight	:	1010 Kgs
User Weight	:	200 Kgs
Station	:	4 Station (Weighted Individual)
Colour	:	Main Frame : Grey | Upholstery : Black



EXERCISE SCOPE

STATION 1 : LAT PULL DOWN | SEATED CHEST PRESS | ROW | ABS CRUNCH

STATION 2 : LEG EXTENSION | LEG CURL

STATION 3 : BICEP | TRICEP

STATION 4 : ADJUSTABLE DUAL CABLE PULLEY

TP-5000

SPECIFICATIONS

Dimension	:	**93" (L) x 52" (W) x 85" (H)**
Seat	:	**PU Seats Profiled**
Tube Thickness	:	**10 Gauge**
Frame	:	**High tensile strength steel, continuous welded, factory assembled weight frame**
Weight Guide Rods	:	**25 mm, Chrome plated steel, highly polished for smooth movements**
Pulley	:	**Aluminium pulleys with high quality bearing**
Cable	:	**5.0mm dia, 500 lbs rated steel cable as transmitting wire nylon coated**
Finishing	:	**Electro statically applied powder coated rust proof**
Weight plate	:	**MS weight plates (19+1)**
Weight Stack	:	**100 Kgs**
Weight Stack Cover	:	**Steel cover powder coating**
Net Weight	:	**263 kgs**
User Weight	:	**200 Kgs**
Colour	:	**Main Frame : Black | Upholstery : Black**



EXERCISE SCOPE

SEATED BENCH PRESS | ABDOMINAL CRUNCH | TRICEPS PUSH DOWN

LAT PULL DOWN | PREACHER CURL | PEC DEC FLY | SEATED ROW

LEG EXTENSION/CURL

TOPPRO®

SFC SERIES



GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

Smith & Multi Functional Trainer

TP - 1500



TP-1500

SPECIFICATIONS

Dimensions	:	85 (L) x 62 (W) x 90 (H)
Tube Size	:	50 mm x 80 mm
Tube Thickness	:	3 mm
Weight Stack	:	80 Kgs + 80 Kgs = 160
Weight Stack Material	:	MS
Weight Conversion Ratio	:	1 : 2 Effective Weight
Net Weight	:	476 Kgs
Accessories	:	D handles 2 Pcs Olympic Bar 1 Pc Multi Grip T bar Handle 1 Pc

The TOPPRO Multi Functional Smith Machine features the most popular training types in one. The best strength training solution for limited space. It has pull up/chin up bars, spotter arms, j hooks for squat and barbell rest, an outstanding cable system and probably 100 other features. The stable and reliable smith system provides fixed rails to help exercisers get lower while sta- bilizing training positions starting weight. Support single or multi-person training at the same time.



- Multifuctional
- The Smith Bar System
- Small but Complete

Smith & Multi Functional Trainer

TP - 2100



TP-2100

SPECIFICATIONS

Dimensions	:	101 (L) x 40 (W) x 97 (H)
Tube Size	:	50 mm x 100 mm
Tube Thickness	:	3 mm
Weight Stack	:	92 Kgs + 92 Kgs = 184 Kgs
Weight Stack Material	:	MS
Net Weight	:	480 Kgs
Acessories	:	D Handle 4 Pcs

As a combination of traditional cable motion and smith machine, TOPPRO Multi Power Station not only retains the various free weight training of Smith Machine, but based on cable motion, through the addition of a pair of pulleys and two heavier weight stacks, which increases the number of people who can train at the same time and more training possibilities for your strength zone.



- One Machine, Multi Solution
- Smith System with Storage
- Adaptive Pull-up Handle
- Dual Pulley System

TOPPRO®



SFT SERIES

GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

Smith+Multi Functional trainer

TP – 1050




SPECIFICATIONS

Dimensions	:	85 (L) x 75 (W) x 95 (H)
Tube Size	:	100 mm x 50 mm
Tube Thickness	:	12 Gauge
Weight Stack	:	80 Kgs + 80 Kgs = 160 Kgs
Weight Stack Material	:	PVC
Net Weight	:	400 Kgs
Colour option	:	Red+Black | Green+Black
		Grey+Black | Yellow+Black
		Blue+Black | Black+Black


Smith+Multi Functional trainer

TP – 1100



SPECIFICATIONS

Dimensions	:	85 (L) x 75 (W) x 95 (H)
Tube Size	:	100 mm x 50 mm
Tube Thickness	:	12 Gauge
Weight Stack	:	80 Kgs + 80 Kgs = 160 Kgs
Weight Stack Material	:	MS
Net Weight	:	400 Kgs
Colour option	:	Red+Black | Green+Black
		Grey+Black | Yellow+Black
		Blue+Black | Black+Black


TOPPRO®
WARRIOR
SERIES
GERMAN DESIGN
INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY Limited FRAME
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS

WARRIOR SERIES

TOPPRO®

TP-501





BELT SQUAT

Dimension: 2055*1690*1460 mm
Weight: 182 kg

- The Warrior Series Belt Squat is a versatile machine that targets the entire thigh and gluteus muscles. Unlike traditional squats that put pressure on the spine, the Belt Squat relieves the spine and allows for more comfortable and effective training. With the ability to adjust your stance, you can target different muscle groups and optimize your workout. The machine also includes additional pins for elastic straps to add resistance and challenge your muscles.

TP-502





POWER SMITH MACHINE DUAL SYSTEM

Dimension: 1880*2010*1750 mm
Weight: 165 kg

- The Warrior Series Power Smith Dual System is an innovative machine designed to perform thrust movements of the upper limbs safely and efficiently. It features independent load and a convergent trajectory that amplifies the range of motion compared to traditional Smith Machines.

WARRIOR SERIES

TOPPRO®

TP-503





ABDOMINAL CRUNCH

Dimension: 1380*1776*1720 mm
Weight: 121 kg

- The Warrior Series Rotating Abdominal Crunch is a must-have for anyone looking to target their abdominal muscles with precision. Unlike traditional ab crunch machines, this equipment features two suspension points on both sides that provide greater resistance and a more challenging workout. The equipment is also highly stable and includes storage pins for weight plates.

TP-504





HIGH ROW

Dimension: 1940*1650*1980 mm
Weight: 157 kg

- The Warrior Series High Row Dual is the ultimate machine for targeting your back muscles. This machine simulates the motionof a traditional high row exercise, but with added features to enhance your workout. The built-in storage pins allow for easy access to weight plates, and the height-adjustable seat pad and thigh pad ensure comfortable and secure fit during your workout.

WARRIOR SERIES

TOPPRO®

TP-505





CHEST BUTTERFLY

Dimension: 1570*1630*970 mm
Weight: 105 kg

■ The Warrior Series Chest Butterfly Dual is a versatile and effective plate-loaded machine designed to provide a comfortable and challenging workout for your chest muscles. The unique 45-degree tilted seat and backrest design allows for better isolation of the pectoral muscles, resulting in a more effective workout.

TP-506





STANDING MULTI FLIGHT STANDING LATERAL RAISE

Dimension: 1425*886*1990MM
Weight: 322 kg
Stack Weight: 80 kg

■ The Standing Multi Flight is a station that allows you to train in standing position muscles to different angles, it is possible to perform lateral, frontal, and rear movements that stimulate the corresponding muscular bundles. Changing the setting at thestation is also possible to train pectoral and dorsal muscles.

TOPPRO®

TP-507





CIRCULAR LAT PULLDOWN

Dimension: 1930*1860*2060 mm
Weight: 195 kg

- The Warrior Series Circular Lat Pulldown allows for a comfortable and ergonomic seated position while performing an effectivedownward pulling motion that targets the dorsal and arm muscles. The scissor design provides a secure and stable workout, ensuring maximum results.

TP-508





STANDING ABDUCTOR

Dimension: 1628*1000*1441 mm
Weight: 113 kg

- The Warrior Series Standing Abductor is designed to maximize the activation of the glute muscles. Compared with the abductor training in the sitting position, the standing position can stimulate the glute muscles more effectively and train more fully. Users can choose the squat height according to their needs, and the extended handrail help users maintain balance during training.

WARRIOR SERIES

TOPPRO®

TP-509





POWER SQUAT

Dimension: 1600*1100*400 mm
Weight: 235 kg

- The Warrior Series Power Squat is designed to allow the user to fully stimulate all muscle groups during a free weight squat while minimizing the potential for injury and danger. Many exercisers have great difficulties due to established weaknesses in biomechanics, injuries, irregular limb lengths, and the inability to hold the bar in place for a variety of reasons. And Power Squat is their best solution.

TP-510






STANDING HIP THRUST

Dimension: 1303*1590*1440 mm
Weight: 95 kg

- The Warrior Series Hip Thrust ensures optimal biomechanics, allowing you to experience the hip thrust movement in its purest form while prioritizing your comfort and exercise effectiveness. No more adjustments or discomfort the TP-510 is tailored for the utmost precision and efficiency in every rep.

TOPPRO®

TP-511



GLUTE BUILDER

Dimension: 1930*1400*515 mm
Weight: 117 kg

- The Glute Builder is a multifunctional machine designed to provide a hasslefree way to perform effective free weight glute exercises.

TP-512



MULTI ABDUCTOR

Dimension: 1485*1265*1360 mm
Weight: 119 kg

- The TP-512 Multi Abductor is designed to optimize hip abduction exercises by replicating the natural mechanics of the hip joint. This innovative machine enhances the effectiveness and stimulus of your workouts, making it a valuable addition to any fitness routine.

WARRIOR SERIES

TOPPRO®

TP-513



PENDULUM SQUAT

Dimension: 2430*1410*1670 mm
Weight: 205 kg

- The T-513 Pendulum Squat by TOPPRO Fitness offers an exceptional lower body workout with innovative features that set it apart from the competition. This machine provides a deep and con- trolled range of motion, allowing for effective squatting exercises that target key muscle groups. With a large back pad for secure body placement and sturdy uprights for stability, the TP-513 ensures a safe and comfortable training experience.

TP-514



STANDING T-BAR ROW

Dimension: 2085*995*910 mm
Weight: 100 kg

- The TP-514 Standing T-Bar Row by TOPPRO Fitness is designed to deliver a powerful and effective back workout, targeting key muscle groups with precision and versatility. Featuring angled foot platform, this machine ensures a stable and secure base for intense rowing exercises. The adjustable handle width allows for customized training, while each handle offers three distinct grip options, enabling you to target different muscles with varying intensities.

WARRIOR SERIES

TOPPRO®

TP-515



SEATED DELTOID FLY

Dimension: 1635*900*1220 mm
Weight: 63 kg

- The TP-515 Seated Deltoid Fly by TOPPRO Fitness is expertly engi- neered to target the upper back, rear deltoids, and the low- er-middle portion of the trapezius. Incorporating advanced biomechanics, this machine ensures precise and effective muscle engagement with every rep. The adjustable seat and backrest distance provide a customized fit, while the design allows for isolated rear deltoid exercises. Whether you prefer unilateral or bilateral workouts, the TP-515 Seated Deltoid Fly offers the versatility and control needed for superior shoulder and back develop- ment.

TP-516



BELT HIP THRUST

Dimension: 1510*1570*900 mm
Weight: 79 kg

- Take your lower body workouts to the next level with the TP-516 Hip Thrust Glute Machine. Designed to isolate and activate your glutes, this machine ensures maximum muscle engagement and growth. With adjustable plate-loaded resistance and an ergo- nomic design, it provides a comfortable, durable platform for hip thrusts and other lower body exercises. Compact and versatile, it's perfect for any gym setup.

WARRIOR SERIES

TP-517





INCLINE LINEAR ROW

Dimension: 1710*910*1210 mm
Weight: 147 kg

■ The TP-517 Incline Linear Row is a groundbreaking addition to our lineup, designed to elevate your back and shoulder workouts with unmatched precision and safety. Engineered with an ergo- nomic design and robust construction, this machine ensures precise movements, maximizing the efficiency of each exercise.

TP-518





PRECISION CHEST PRESS

Dimension: 1460*2060*1675 mm
Weight: 210 kg

■ The TP-518 Chest Press by TOPPRO Fitness is engineered to deliver a superior upper body workout with enhanced stability and precision. Featuring an innovative linkage drive systemand a horizontal fixed track, this machine ensures a smooth and consistent press movement. The straight and consistent press movement. The straight-line motion maintains optimal elbow and shoulder alignment, providing a stable exerise experience and excellent muscle engagement.

TOPPRO

TP-519





SUPPORTED ANGLE ROW

Dimension: 1580*2000*1250 mm
Weight: 180 kg

- **The Supported Angle Row is designed to offer a more advanced and adaptable approach to upper back training. Featuring a chest-supported setup with adjustable pad angles, it replicates the natural mechanics of free weight rows while enhancing stability and precision. The dual-position adaptive grip system allows for both narrow and wide grips, targeting a broader range of back muscles.**

TP-520





45 HIP EXTENSION

Dimension: 1415*1690*1040 mm
Weight: 115 kg

- **The 45 Hip Extensn is a purpose-built machine designed to isolate and fully engage the glute muscles through a precise, full range of motion. With a 45° training angle and a biomechanically-optimized arc that replicates hip extension, abduction, and external rotation, this machine maximizes glute activation while minimizing hamstring involvement.**

TOPPRO®

TP-521





DEADLIFT ELITE

Dimension: 1705*1680*665 mm
Weight: 100 kg

- **The Deadlift Elite is a revolutionary solution for glute-focused strength training, uniquely designed to isolate the glutes from full stretch to full contraction without engaging the quads or hamstrings. With its versatile setup, users can perform a wide range of movements—including deadlifts and Bulgarian split squats—with unmatched precision.**

TP-522





3D SMITH HIP THRUST

Dimension: 2080*1515*1380 mm
Weight: 156 kg

- **The 3D Smith Hip Thrust is designed to elevate your glute workouts with its advanced features and user-friendly design. This machine ensures optimal exercise mechanics and improved technique with minimal adjustments required.**


TOPPRO®
HAM PRO
SERIES
GERMAN DESIGN
CERTIFIED ISO-9001 QUALITY
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY Limited FRAME
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS

HAM PRO SERIES

TOPPRO®

TP-703



TP-703

SEATED LEG PRESS

SET UP AREA :70*67*59 | TUBE THICKNESS : 3MM
NET WEIGHT : 145 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 500 KGS

TP-707



TP-707

WIDE CHEST PRESS

SET UP AREA : 47*79*68 | TUBE THICKNESS : 3MM
NET WEIGHT : 159 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 500 KGS

TP-709



TP-709

SEAT INCLINE CHEST PRESS

SET UP AREA : 51*67*60 | TUBE THICKNESS : 3MM
NET WEIGHT : 130 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 500 KGS

TP-710



TP-710

SEATED LEG EXTENSION

SET UP AREA : 65*75*59 | TUBE SIZE : 40MM X 80MM
TUBE THICKNESS : 3MM | LOAD CAPACITY : 400 KGS
NET WEIGHT : 125 KGS

HAM PRO SERIES

TOPPRO

TP-711



TP-711

HORIZONTAL LEG CURL

SET UP AREA : 66*80*40 | TUBE THICKNESS : 3MM
NET WEIGHT : 143 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 400 KGS

TP-713



TP-713

LAYDOWN CHEST PRESS

SET UP AREA : 69*68*44 | TUBE THICKNESS : 3MM
NET WEIGHT : 99 KGS | TUBE SIZE : 100MM X 50MM
LOAD CAPACITY : 500 KGS

TP-714



TP-714

SEATED BICEPS

SET UP AREA : 58*49*58 | TUBE THICKNESS : 3MM
NET WEIGHT : 138 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 500 KGS

TP-715



TP-715

INCLINE PECFLY

SET UP AREA : 64*59*52 | TUBE THICKNESS : 3MM
NET WEIGHT : 105 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 350 KGS

TP-716



SEATED DELT MACHINE

SET UP AREA : 54*48*50 | TUBE THICKNESS : 3MM
NET WEIGHT : 138 KGS | TUBE SIZE : 40MM X 80MM

TP-717



PULL OVER

SET UP AREA : 68*65*59 | TUBE THICKNESS : 3MM
NET WEIGHT : 159 KGS | TUBE SIZE : 40MM X 80MM

TP-718



ABDOMINAL OBLIQUE CRUNCH

Dimension:
1200*1480*1680 mm

Weight:
162 kg

The Plated-Loaded Abdominal Oblique Crunch uses a swivel seat to target both sets of oblique muscles. This dual action motion trains the full abdominal wall.

TP-721



OLYMPIC BARBELL & PLATE STAND

SET UP AREA : 27*28*50 | TUBE THICKNESS : 3MM
NET WEIGHT : 25 KGS | TUBE SIZE : 40MM X 80MM
LOAD CAPACITY : 400 KGS

HAM PRO SERIES

TOPPRO

TP-722



ISOLATERAL CHEST/BACK

Dimension:
1830*1330*2090 mm

Weight:
177 Kg

The Plate-Loaded Iso-Lateral Chest/Back was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. This combination machine offers a solution for both chest and back workouts.

TP-724



ISOLATERAL WIDE CHEST

Dimension:
1150*1500*1760mm

Weight:
139 kg

The Plate-Loaded Iso-Lateral Wide Chest was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. This machine offers a higher degree of converging motion than the decline press and accommodates larger exercisers.

TP-725



SEATED DIP

Dimension:
1820*1240*1090mm

Weight:
130 kg

The Plate-Loaded Seated Dip allows exercisers to perform the exercise facing in or out for added variety.

TP-726



ISOLATERAL LEG EXTENSION

Dimension:
1380*1450*1450

Weight:
137 kg

The Plate-Loaded Iso-Lateral Leg Extension was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety.

HAM PRO SERIES

TOPPRO

TP-727



TP-727

ISOLATERAL BENCH PRESS

Dimension:
1380*1450*1450

Weight:
137 kg

The Plate-Loaded Iso-Lateral Bench Press features separate weight horns that provide independent diverging and converging motions for equal strength development. Features Horizontal and Vertical grip options to replicate traditional bench presses or athletic movements. The Horizontal option is the most popular machine with a horizontal grip position.

VL TP-728



VL TP-728

90 DEGREE LEG PRESS

Dimension:
1524*1524*1828

Weight:
130 kg

The 90-degree leg press is a strength training exercise that primarily targets the quadriceps, hamstrings, and glutes. In this exeecise, you sit in a leg press machine with your back against the padded support and your feet placed shoulder-width apart on a platform. The platform is positioned at a 90-degree angle relative to the floor, allowing for a controlled range of motion.

TP-729



TP-729

LEG PRESS

Dimension:
2400*1688*1480mm

Weight:
256 Kg



TOPPRO®

HAM STRENGTH

SERIES

GERMAN DESIGN

INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM

TOPPROFITNESS

TOPPROFITNESS

ISOLATERAL KNEELING LEG CURL

TP-09

SPECIFICATIONS

Dimension	:	43*50*57 Inch
Tube Thickness	:	3 MM.
Tube Size	:	40*80 MM
Net Weight	:	140 KGS.
Gross Wieght	:	155 KGS



TP-09

TOPPRO®

SEAN

SERIES



GERMAN DESIGN

ISO-9001

CERTIFIED BY LPI TAIWAN

LIFETIME WARRANTY Limited FRAME

WWW.TOPPROFITNESS.COM TOPPROFITNESS TOPPROFITNESS

SEAN
SERIES

TOPPRO®

CHEST PRESS
TP-905

TP-905



SPECIFICATIONS

Dimension	:	59*47*56 Inch
Net Weight	:	165 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

INCLINE CHEST PRESS
TP-915



TP-915



SPECIFICATIONS

Dimension	:	59*40*66 Inch
Net Weight	:	163 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.
Colour Options	:	Red & Green

LAT PULL DOWN
TP-920



TP-920



SPECIFICATIONS

Dimension	:	43*68*78 Inch
Net Weight	:	150 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.
Colour Option	:	Red & Green

LOW ROW
TP-925

TP-925



SPECIFICATIONS

Dimension	:	50*49*58 Inch
Net Weight	:	140 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

ROW
TP-930





TP-930

SPECIFICATIONS

Dimension	:	46*54*51 Inch
Net Weight	:	135 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS..
Colour Options	:	Red & Green

SHOULDER PRESS
TP-935





TP-935

SPECIFICATIONS

Dimension	:	50*49*58 Inch
Net Weight	:	140 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.
Colour Options	:	Red & Green

REAR KICK
TP-940



TP-940

SPECIFICATIONS

Dimension	:	44*52*64 Inch
Net Weight	:	135 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

LEG PRESS
TP-950



TP-950

SPECIFICATIONS

Dimension	:	60*40*62 Inch
Net Weight	:	140 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.
Colour Options	:	Red & Green

LEG CURL
TP-955



TP-955

SPECIFICATIONS

Dimension	:	48*40*51 Inch
Net Weight	:	125 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

SEATED DIP
TP-960



TP-960

SPECIFICATIONS

Dimension	:	50*49*58 Inch
Net Weight	:	140 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

BICEP CURL
TP-965



TP-965

SPECIFICATIONS

Dimension	:	50*49*58 Inch
Net Weight	:	140 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

SEAN
SERIES

TOPPRO

LEG EXTENSION
TP-970



TP-970

SPECIFICATIONS

Dimension	:	49*49*46 Inch
Net Weight	:	175 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.
Colour Options	:	Red & Green

BICEPS
TP-975



TP-975

SPECIFICATIONS

Dimension	:	41*54*39 Inch
Net Weight	:	148 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.

HACK SQUAT / CALF MACHINE
TP-990



TP-990

SPECIFICATIONS

Dimension	:	50*49*58 Inch
Net Weight	:	140 KGS.
Tube Thickness	:	3 MM.
Load Capacity	:	400 KGS.


TOPPRO®
PREMIUM
SERIES
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS
GERMAN DESIGN
INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY Limited FRAME

PREMIUM SERIES

CHEST PRESS

TP–7002



SPECIFICATIONS

- Dimension : 77*56*68 Inch
- Net Weight : 168 KGS.
- Tube Thickness : 3 MM.

TOPPRO®

SHOULDER PRESS

TP–7003



SPECIFICATIONS

- Dimension : 65*64*61 Inch
- Net Weight : 168 KGS.
- Tube Thickness : 3 MM.

TRICEP CURL

TP–7005



SPECIFICATIONS

- Dimension : 68*57*36 Inch
- Net Weight : 175 KGS.
- Tube Thickness : 3 MM.

LOW ROW MACHINE

TP–7008



SPECIFICATIONS

- Dimension : 71*57*65 Inch
- Net Weight : 158 KGS.
- Tube Thickness : 3 MM.

PREMIUM SERIES

LEG EXTENSION

TP-7009



SPECIFICATIONS

- Dimension : 57*61*48 Inch
- Net Weight : 104 KGS.
- Tube Thickness : 3 MM.

TOPPRO®

HACK SQUAT CALF COMBO

TP-7013



SPECIFICATIONS

- Dimension : 61*46*44 Inch
- Net Weight : 223 KGS.
- Tube Thickness : 3 MM.

FLAT PRESS BENCH

TP-7324A



SPECIFICATIONS

- Dimension : 71*57*65 Inch
- Net Weight : 158 KGS.
- Tube Thickness : 3 MM.

INCLINE PRESS BENCH

TP-7325A



SPECIFICATIONS

- Dimension : 74*74*57 Inch
- Net Weight : 158 KGS.
- Tube Thickness : 3 MM.

TOPPRO®

DECLINE PRESS BENCH

TP-7326A



SPECIFICATIONS

Dimension	:	76*74*51 Inch
Net Weight	:	158 KGS.
Tube Thickness	:	3 MM.


MULTI FUNCTIONAL BENCH

TP-7328A

SPECIFICATIONS

Dimension	:	64*22*20 Inch
Net Weight	:	51 KGS.
Tube Thickness	:	3 MM.




TOPPRO®
RACK PRO
SERIES
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS
GERMAN DESIGN
INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY Limited FRAME

RACK PRO SERIES

TOPPRO

TP-7251



HALF RACK

Dimension: 1390*1520*2355 mm
Weight: 352 lbs (160 kg)

A heavy-duty, flat-foot half rack designed for serious lifters accommodate a wide range of lifting needs. Its space-saving and stable design make it perfect for athletes who prefer to lift outside of the rack. Ideal for both compact gyms and professional training facilities, this half rack ensures a safe and effective workout experience.

TP-7252



POWER FLEX HALF RACK

Dimension: 1430*1555*2370 mm
Weight: 609 lbs (277 kg)
Weight Stack: Max 440 lbs * 2 (200 kg * 2)

Experience the ultimate in versatility with the PowerFlex Half Rack. Built from heavy-duty, commercial-grade materials, this half rack supports plate-loaded functionality, allowing you to tailor your workouts to your strength goals. Its compact design fits seamlessly into any gym space, while still providing the stability and performance you need for effective training.

TP-7253



POWER FLEX FULL RACK

Dimension: 2160*1670*2355 mm
Weight: 706 lbs (321 kg)
Weight Stack: Max 440 lbs * 2 (200 kg * 2)

The PowerFlex Full Rack delivers unparalleled strength and versatility for your most demanding workouts. This commercial-grade full rack supports plate-loaded functionality, giving you the flexibility to adjust your resistance as needed. Perfect for serious athletes and home gym enthusiasts alike, it ensures a safe and effective lifting environment.

TP-7254



LEVER ARM RACK

Dimension: 2470*2100*2500 mm
Weight: 460 kg

TOPPRO provides a new training solution for those who do not want to sacrifice floor space but are fond of traditional jammer press movements. The lever arm rack can be quickly attached and detached from to power rack, its modular design utilizes space-saving movements to replace cumbersome lever parts.


TOPPRO®
STAR
SERIES
GERMAN DESIGN
ISO-9001
CERTIFIED BY LPI TAIWAN
INTERNATIONAL ORGANIZATION CERTIFIED ISO-9001 QUALITY FOR STANDARDIZATION

FLAT BENCH

TP - 5036



SPECIFICATIONS:

SET UP AREA	135 X 76 X 43 CMS
NET WEIGHT	17 KGS

ADJUSTABLE DECLINE BENCH

TP - 5037



SPECIFICATIONS:

SET UP AREA	162 X 76 X 81 CMS
NET WEIGHT	42 KGS

MULTI PURPOSE BENCH

TP - 5038



SPECIFICATIONS:

SET UP AREA	117 X 76 X 82 CMS
NET WEIGHT	21 KGS

MULTI ADJUSTABLE BENCH

TP - 5039



SPECIFICATIONS:

SET UP AREA	165 X 56 X 52 CMS
NET WEIGHT	36 KGS

MULTI ADJUSTABLE BENCH

TP - 5040



SPECIFICATIONS:

SET UP AREA	165 X 56 X 52 CMS
NET WEIGHT	36 KGS

OLYMPIC DECLINE BENCH

TP - 5041



SPECIFICATIONS:

SET UP AREA	206 X 178 X 109 CMS
NET WEIGHT	73 KGS

OLYMPIC INCLINE BENCH

TP - 5042



SPECIFICATIONS:

SET UP AREA	210 X 178 X 140 CMS
NET WEIGHT	83 KGS

OLYMPIC BENCH

TP - 5043



SPECIFICATIONS:

SET UP AREA	173 X 178 X 122 CMS
NET WEIGHT	60 KGS

PREACHER CURL BENCH

TP - 5044



SPECIFICATIONS:

SET UP AREA	132X 84 X 97 CMS
NET WEIGHT	41 KGS

BACK EXTENSION

TP - 5045



SPECIFICATIONS:

SET UP AREA	122 X 86 X 96 CMS
NET WEIGHT	43 KGS

PLATE STAND

TP - 5046



SPECIFICATIONS:

SET UP AREA	65 X 58 X 125 CMS
NET WEIGHT	28 KGS

OLYMPIC ADJUSTABLE BENCH

TP - 5049



SPECIFICATIONS:

SET UP AREA	135X76X43 CMS
NET WEIGHT	17 KGS

SQUAT RACK

TP - 5050



SPECIFICATIONS:

SET UP AREA	185 X 173 X 180 CMS
NET WEIGHT	111 KGS

DUMBELL RACK

TP - 5077



SPECIFICATIONS:

SET UP AREA	72 X 248 X 81 CMS
NET WEIGHT	66 KGS


BARBELL STAND

TP - 5078



SPECIFICATIONS:

SET UP AREA	104 X 76 X 136 CMS
NET WEIGHT	62 KGS


TOPPRO®
India's Premium Fitness Equipments Brand
TITAN
SERIES
GERMAN DESIGN
ISO-9001
CERTIFIED BY LPI TAIWAN
LIFETIME WARRANTY
Limited FRAME
WWW.TOPPROFITNESS.COM
TOPPROFITNESS
TOPPROFITNESS

DELUXE CHEST PRESS
Y905ZA



Dimension: 1670*1490*1835 mm
Weight: 310 kg

- The Chest Press uses a forward converging movement that effectively activates the pectoralis major, triceps, and anterior deltoid. The motion arms can be moved independently, not only ensuring a more balanced muscle exercise, but also supporting the user in individual training.



DELUXE WIDE CHEST PRESS
Y910ZA

Dimension: 1690*1460*1870 mm
Weight: 265 kg

- The Wide Chest Press strengthens the lower pectoralis through a forward converging movement while activating the pectoralis major, triceps, and anterior deltoid. Excellent biomechanical trajectory makes training more comfortable and effective. Balanced strength increase, support for single-arm training, both thanks to the variety training possibilities offered by the independent motion arms.

DELUXE INCLINE CHEST PRESS

Y915ZA



Dimension: 1830*1480*1800 mm
Weight: 280 kg

- The Incline Chest Press is designed to better train the upper chest muscles. Excellent biomechanical standards and ergonomic design ensure training effectiveness and comfort. The motion arms can be moved independently, not only ensuring a more balanced muscle exercise, but also supporting the user in individual training.



DELUXE PULL DOWN

Y920ZA

Dimension: 2090*1475*2040 mm
Weight: 235 kg

- The Pull Down provides a natural arc of motion and greater range, allowing users to effectively train the lats and biceps. The independently moving arms ensure balanced strength increase and allow for separate training. Excellent motion path design makes training smooth and comfortable.

DELUXE LOW ROW
Y925ZA



Dimension: 1500*1475*1870 mm
Weight: 275 kg

- The Low Row offers activation programs for multiple muscle groups, including the lats, biceps, rear delts, and traps. Dual-hold position handgrips involve training of different muscles. The independently motion arms ensure the balance of the training and supports the user to perform independent training. The central handle provides stability during single-arm training.



DELUXE ROW
Y930ZA

Dimension: 1670*1350*1340 mm
Weight: 230 kg

- The Row is designed to activate the lats, biceps, rear deltoid, and trapezius muscles. Provides variety training with dual-grip handles. The independently motion arms guarantee the balanced strength increase and allows the user to train independently. The central handle is responsible for the stability of independent workouts.

DELUXE SHOULDER PRESS
Y935ZA



Dimension: 1500*1830*1715 mm
Weight: 280 kg

- The Shoulder Press provide the feel of free weight training, with an excellent biomechanical design ideal for strengthening delts, triceps and upper traps by replicating the overhead press. The independently motion arms guarantee the balanced strength increase and allow the user to train independently.



DELUXE REAR KICK
Y940ZA

Dimension: 1600*1400*1900 mm
Weight: 175 kg

- The Rear Kick replicates the rear kick movement with mechanically transmitted weight loads, which is an ideal choice for training glutes, hamstrings, and quads. The large footplates allow users to train in multiple positions, while the ergonomic pads provide reasonable stress distribution while stabilizing the torso.

DELUXE LEG EXTENSION

Y960ZA



Dimension: 1520*1285*1170 mm
Weight: 185 kg

- The Leg Extension is designed to utilize the motion trajectory by isolating and fully engaging the quadriceps. The purely mechanical transmission structure ensures the accurate transmission of the load weight, and the ergonomically optimized seat and shin pads ensure training comfort.

DELUXE SEATED DIP

Y965ZA



Dimension: 1815*1700*1050 mm
Weight: 180 kg

- The Seated Dip is designed to fully activate the triceps and pectoral muscles, providing optimal workload distribution based on an excellent trajectory of motion. The independently motion arms guarantee the balanced strength increase and allow the user to train independently. Optimal torque is always provided to the user during the training.

DELUXE BICEP CURL

Y970ZA



Dimension: 1610*1180*1035mm
Weight: 170 kg

- The Biceps Curl replicates the same biceps curl following the movement pattern of the elbow's physiological power curve under load. The pure mechanical structure transmission makes the load transmission smoother, and the addition of ergonomic optimization makes the training more comfortable.



OLYMPIC INCLINE BENCH

Y971ZA



Dimension: 2010*1550*1650 mm

Weight: 150 kg

A durable bench with footplates for extra support, an assisted spotter platform, and stop hooks for individual training.



OLYMPIC FLAT BENCH

Y972ZA

Dimension: 1840*1550*1350 mm

Weight: 125 kg

A durable weight bench with two footplates, a spotter platform for assisted training, and stop hooks for individual training.

OLYMPIC DICLINE BENCH
Y973ZA



Dimension: 2170*1550*1310 mm

Weight: 130 kg

A durable bench with a single set up adjustment and stop hooks for effective individual training.

BACK EXTENSION
Y975ZA



Dimension: 1300*815*760 mm

Weight: 53 kg

Ideal for training the back muscles which features a wide footplate for exercise variations.

SEATED PREACHER CURL
Y976ZA



Dimension: 1165*875*990 mm

Weight: 63 kg

A durable bicep and barbell curl bench, complete with a double angle pad setting and stop hooks to secure the bar.

DECLINE/ABDOMINAL BENCH
Y977ZA



Dimension: 1850*585*910 mm

Weight: 67 kg

A durable bench with 3 difficulty levels, 2 integrated plate holders, 2 handles for reverse abdominal exercises.

SUPER BENCH
Y978ZA



Dimension: 1385*745*450 mm

Weight: 57 kg

A reclining weight bench with 8 backrest adjustments and 3 seat angle settings which can support various exercises.

FLAT BENCH
Y980ZA



Dimension: 1255*575*440 mm

Weight: 25 kg

The Flat Bench is a traditional flat bench that offers high-grade durability and quality.

CROSSFIT

TOPPRO®

XL-1000



SPECIFICATIONS

Net Weight	:	800Kgs
Weighting Stack	:	184Kgs
Set Up Area	:	12'(L) X 12'(W) X 8'(H)
Frame	:	Heavy Duty Material, Heavy Duty Pipe Gauge
Painting	:	Electrostatic Powder Coating

- Functional Trainer with Dual Adjustable Pulley
- Chin Up
- Pull Ups
- Jumping Stand
- Accesories Holder
- Medicine Ball Stand
- Kettle Bag Stand
- TRX Zigs
- Battling Rope Holder
- T-Bar Holder

NOTES

Celebrating

1 MILLION

Happy Customers

QUALITY COMMITMENT TOPPRO SERVING SINCE 1972 SERVICE

K. C. VERMA AND COMPANY

73-74, Basti Nau, Jalandhar-144002 Punjab (India)
7528902890 | 9815122445 topprofitness@gmail.com
WWW.TOPPROFITNESS.COM

Registered GeM Government e Marketplace Dealer